



MATERIALS

Caron® Simply Soft® Tweeds™ (5 oz/141 g; 250 yds/228 m)

Sizes XS/S M L XL 2/3XL 4/5XL

Gray Heather Tweeds (23002) 8 8 9 10 11 12 balls

Size U.S. H/8 (5 mm) crochet hook or size needed to obtain gauge.
Stitch markers.

ABBREVIATIONS:

Alt = Alternate

Approx = Approximate(ly)

Beg = Begin(ning)

Ch = Chain(s)

Cont = Continue(ity)

Dc = Double crochet

Dcbp = Yoh and draw up a loop around post of next st at back of work, inserting hook from right to left. (Yoh and draw through 2 loops on hook) twice.

Dcfp = Yoh and draw up a loop around post of next st at front of work, inserting hook from right to left. (Yoh and draw through 2 loops on hook) twice.

Dec = Decrease(ing)

Hdc = Half double crochet

Hdc2tog = Yoh and draw up a loop in each of next 2 stitches. Yoh and draw through all loops on hook

Inc = Increase(ing)

Pat = Pattern

Rem = Remaining

Rep = Repeat

RS = Right side

Sc = Single crochet

Sl st = Slip stitch

Sp(s) = Space(s)

St(s) = Stitch(es)

WS = Wrong side

Yoh = Yarn over hook

 CROCHET | SKILL LEVEL: EASY

SIZES

To fit bust measurement

XS/S 28-34" [71-86.5 cm]

M 36-38" [91.5-96.5 cm]

L 40-42" [101.5-106.5 cm]

XL 44-46" [112-117 cm]

2/3 XL 48-54" [122-137 cm]

4/5 XL 56-62" [142-157.5 cm]

Finished bust

XS/S 42" [106.5 cm]

M 44" [112 cm]

L 47" [119.5 cm]

XL 53" [134.5 cm]

2/3 XL 58" [147 cm]

4/5 XL 65" [165 cm]

GAUGE

14 sts and 8.5 rows = 4" [10 cm]
in Body Pat.

INSTRUCTIONS

The instructions are written for smallest size. If changes are necessary for larger size(s) the instructions will be written thus (.). Numbers for each size are shown in the same color throughout the pattern. When only one number is given in black, it applies to all sizes.

Note: Ch 2 at beg of row counts as hdc.

BACK

Ch **76** (79-85-94-103-115).

1st row: (WS). 1 dc in 4th ch from hook (counts as 2 dc). 1 dc in each ch to end of chain. Turn. **74** (77-83-92-101-113) sts.

2nd row: Ch 2 (counts as hdc). 1 dcfp around next dc. *1 dcbp around next dc. (1 dcfp around next dc) twice. Rep from * to last 3 dc. 1 dcbp around next dc. 1 dcfp around next dc. 1 hdc in last dc. Turn.

3rd row: Ch 2. 1 dcbp around next st. *1 dcfp around next st. (1 dcbp around next st) twice. Rep from * to last 3 sts. 1 dcfp around next st. 1 dcbp around next st. 1 hdc in top of ch 2. Turn.

4th row: Ch 2. 1 dcfp around next st. *1 dcbp around next st (1 dcfp around next st) twice. Rep from * to last 3 sts. 1 dcbp around next st. 1 dcfp around next st. 1 hdc in top of ch 2. Turn.

Rep 3rd and 4th rows for Ribbing until work from beg measures 5" [12.5 cm], ending on a WS row.

Proceed in Body Pat as follows:

1st row: (RS). Ch 2. 1 hdc in next st. *1 dcfp around next st. 1 hdc in each of next 2 sts. Rep from * to last 3 sts. 1 dcfp around next st. 1 hdc in next st. 1 hdc in top of ch 2. Turn.

2nd row: Ch 2. 1 hdc in next st. *1 dcbp around next st. 1 hdc in each of next 2 hdc. Rep from * to last 3 sts. 1 dcbp around next st. 1 hdc in next hdc. 1 hdc in top of ch 2. Turn.

Rep last 2 rows for Body Pat until work from beg measures 19" [48.5 cm], ending on a WS row. Fasten off.

Shape armholes: Next row: (RS). Skip first **6** (6-9-9-12-12) sts. Join yarn with sl st in next hdc. Ch 2 (counts as hdc). 1 hdc in next hdc. Pat to last **6** (6-9-9-12-12) sts. **Turn.** Leave rem sts unworked.

Cont in Body Pat on rem **62** (65-65-74-77-89) sts until armhole measures **9** (9½-9½-10-10-10½)" [**23** (24.5-24.5-25.5-25.5-26.5) cm], ending on a WS row. Fasten off.

POCKET LINING (make 2)

Ch 24.

1st row: (RS). 1 hdc in 3rd ch from hook (counts as 2 hdc). 1 hdc in each ch to end of chain. Turn. 23 hdc.

2nd row: Ch 2. 1 hdc in each hdc to end of row. Turn.

Rep last row until work from beg measures 4½" [11.5 cm], ending on a WS row. Fasten off.

LEFT FRONT

Ch **37 (40-43-49-52-58).

1st row: (WS). 1 dc in 4th ch from hook (counts as 2 dc). 1 dc in each ch to end of chain. Turn. **35** (38-41-47-50-56) sts.

2nd row: Ch 2 (counts as hdc). 1 dcfp around next dc. *1 dcbp around next dc. (1 dcfp around next dc) twice. Rep from * to last 3 dc. 1 dcbp around next dc. 1 dcfp around next dc. 1 hdc in last dc. Turn.

3rd row: Ch 2. 1 dcbp around next st. *1 dcfp around next st. (1 dcbp around next st) twice. Rep

from * to last 3 sts. 1 dcfp around next st. 1 dcbp around next st. 1 hdc in top of ch 2. Turn.

4th row: Ch 2. 1 dcfp around next st. *1 dcbp around next st (1 dcfp around next st) twice. Rep from * to last 3 sts. 1 dcbp around next st. 1 dcfp around next st. 1 hdc in top of ch 2. Turn.

Rep 3rd and 4th rows for Ribbing until work from beg measures 5" [12.5 cm], ending on a WS row.

Proceed in Body Pat as given for Back until work from beg measures 9½" [24 cm], ending on a WS row.**

Place pocket: Next row: (RS). Ch 2. Pat across next **5** (5-5-8-11-14) sts. Skip next 23 sts of Left Front. Pat across 23 sts from Pocket Lining. Pat across last **6** (9-12-15-15-18) sts of Left Front. Turn. **35** (38-41-47-50-56) sts.

Cont even in Body Pat until work from beg measures 19" [48.5 cm], ending on a WS row. Fasten off.

Shape armhole and front: Next row: (RS). Skip first **6** (6-9-9-12-12) sts. Join yarn with sl st in next hdc. Ch 2 (counts as hdc). 1 hdc in next hdc. Pat to last 2 sts. Hdc2tog. Turn.

Cont in Body Pat on these **28** (31-31-37-37-43) sts, AT SAME TIME, dec 1 st at front edge on next **13** (15-15-16-16-16) rows. **15** (16-16-21-21-27) sts rem.

Cont even in Body Pat until armhole measures same length as Back, ending on a WS row. Fasten off.

RIGHT FRONT

Work from ** to ** as given for Left Front.

Place pocket: Next row: (RS). Ch 2. Pat across next **5** (8-11-14-14-17) sts. Skip next 23 sts of Right Front. Pat across 23 sts from Pocket Lining. Pat across last **6** (6-6-9-12-15) sts of Right Front. Turn. **35** (38-41-47-50-56) sts.

Cont even in Body Pat until work from beg measures 19" [48.5 cm], ending on a WS row.

Shape armhole and front: Next row: (RS). Ch 2. Hdc2tog. Pat to last **6** (6-9-9-12-12) sts. **Turn.** Leave rem sts unworked.

Cont in Body Pat on these **28** (31-31-37-37-43) sts, AT SAME TIME, dec 1 st at front edge on next **13** (15-15-16-16-16) rows. **15** (16-16-21-21-27) sts rem.

Cont even in Body Pat until armhole measures same length as Back, ending on a WS row. Fasten off.

SLEEVES

Ch **43** (46-46-49-49-52).

1st row: (WS). 1 dc in 4th ch from hook (counts as 2 dc). 1 dc in each ch to end of chain. Turn. **41** (44-44-47-47-50) sts.

2nd row: Ch 2 (counts as hdc). 1 dcfp around next dc. *1 dcbp around next dc. (1 dcfp around next dc) twice. Rep from * to last 3 dc. 1 dcbp around next dc. 1 dcfp around next dc. 1 hdc in last dc. Turn.

3rd row: Ch 2. 1 dcbp around next st. *1 dcfp around next st. (1 dcbp around next st) twice. Rep from * to last 3 sts. 1 dcfp around next st. 1 dcbp around next st. 1 hdc in top of ch 2. Turn.

4th row: Ch 2. 1 dcfp around next st. *1 dcbp around next st (1 dcfp around next st) twice. Rep from * to last 3 sts. 1 dcbp around next st. 1 dcfp around next st. 1 hdc in top of ch 2. Turn.

Rep 3rd and 4th rows for Ribbing until work from beg measures 3½" [9.5 cm], ending on a WS row.

Proceed in Body Pat as given for Back for 4 rows.

Keeping cont of Body Pat, inc 1 hdc at each end of next row and following RS (alt) rows until there are **65** (68-68-71-71-74) sts, taking inc sts into Body Pat.

Cont even in Body Pat until Sleeve from beg measures 18" [45.5 cm], ending on a WS row. Place markers at each end of last row.

Work a further **3** (3-5-5-7-7) rows even in pat. Fasten off.

FINISHING


Sew shoulder seams.

Collar: 1st row: With RS facing, join yarn with sl st at lower edge of Right Front. Ch 1. Work 1 row of sc evenly up Right Front, across back neck edge and down Left Front. Turn.

2nd row: (WS). Ch 2 (does not count as hdc). 1 hdc in back loop of each sc to end of row. Turn.

3rd row: Ch 2 (does not count as hdc). *Work 1 hdc into horizontal bar created below st in previous row (bar is below loops normally worked on WS – see diagram). Rep from * to end of row. Turn.

Rep last row until Collar measures 5" [13 cm]. Fasten off.



Sew in Sleeves placing rows above markers along unworked sts of Front and Back to form square armholes. Sew side and sleeve seams.

Pocket Edging: With RS facing, join yarn with sl st in first unworked st of Pocket opening. Ch 1. 1 sc in same sp. 1 sc in each sc across. Turn. 23 sc.

Next row: Ch 1. 1 sc in back loop only of each st to end of row. Turn. Rep last row 3 times more. Fasten off.

Sew sides of Pocket Edging in position on RS. Sew Pocket Linings in position on WS.

