

**BERNAT®** YAWN THE SHEEP CROCHET SNUGGLE SACK | CROCHET



**MATERIALS**

**Bernat® Baby Blanket Tiny™** (3.5 oz/100 g; 316 yds/288 m)  
**Main Color (MC)** Polar Bear (14003) **5 balls**  
**Contrast A** Gray Owl (14002) **1 ball**  
**Contrast A** Hush Pink (14004) **1 ball**

Size U.S. G/6 (4 mm) crochet hook **or size needed to obtain gauge.**  
 Stitch markers. 10 buttons 1" [2.5 cm] diameter.

 CROCHET | SKILL LEVEL: **EASY**

**ABBREVIATIONS**

**Approx** = Approximately  
**Beg** = Beginning  
**Ch** = Chain(s)  
**Dc** = Double crochet  
**Hdc** = Half double crochet  
**Hdc2tog** = (Yoh and draw up a loop in next stitch) twice. Yoh and draw through all loops on hook  
**Pat** = Pattern  
**PM** = Place marker  
**Rem** = Remaining  
**Rep** = Repeat  
**Rnd(s)** = Round(s)

**RS** = Right side  
**Sc** = Single crochet  
**Sc2tog** = Draw up a loop in each of next 2 sc. Yoh and draw through all 3 loops on hook  
**Sl st** = Slip stitch  
**Sp(s)** = Space(s)  
**St(s)** = Stitch(es)  
**Tog** = Together  
**Tr** = Treble crochet  
**WS** = Wrong side  
**Yoh** = Yarn over hook

**MEASUREMENTS**

One size to fit baby 3-6 mos  
 Approx 24" [61 cm] long (excluding hood and legs) x 15" [38 cm] wide.

**GAUGE**

15 sc and 16 rows = 4" [10 cm]

**INSTRUCTIONS**

**BODY**

**Back**

With MC, ch 59.  
**\*\*1st row:** (RS). 1 dc in 4th ch from hook (counts as 2 dc) and each ch to end of chain. Turn. 57 dc.

**2nd row:** Ch 1. 1 sc in first dc. \*1 tr in next dc. 1 sc in next dc, *pushing tr to back (RS) of work to form bobble.* Rep from \* to end of row. Turn.

**3rd row:** Ch 1. 1 sc in first sc. 1 sc in next tr. \*1 tr in next sc. 1 sc in next tr, *pushing tr to front of work to form bobble.* Rep from \* to last sc. 1 sc in last sc. Turn.

**4th row:** Ch 1. 1 sc in first sc. \*1 tr in next sc. 1 sc in next tr, *pushing tr to RS of work to form bobble.* Rep from \* to last 2 sc. 1 tr in next sc. 1 sc in last sc, *pushing tr to RS of work to form bobble.* Turn.

Rep last 2 rows for pat until work from beg measures approx 16" [40.5 cm], ending on a 4th row. PM at each end of last row.\*\*

**Shape raglans: 1st row:** (RS). Ch 1. 1 sc in first sc. Sc2tog. Pat to last 4 sts. 1 sc in next tr. Sc2tog. 1 sc in last sc. Turn. 55 sts.

**2nd row:** Ch 1. 1 sc in each of first 2 sts. Pat to last 2 sts. 1 sc in each of last 2 sts. Turn. Rep last 2 rows 14 times more. 27 sts rem. Fasten off.

## Front

With MC, ch 53.

Rep from \*\* to \*\* as given for Back. 51 dc at end of 1st row.

**Shape raglans: 1st row:** (RS). Ch 1. 1 sc in first sc. Sc2tog. Pat to last 3 sts. Sc2tog. 1 sc in last sc. Turn. 49 sts.

**2nd row:** Ch 1. 1 sc in each of first 2 sts. Pat to last 2 sts. 1 sc in each of last 2 sts. Turn. Rep last 2 rows 14 times more. 21 sts rem. Fasten off.

## SLEEVES

With A, ch 40.

**1st row:** 1 sc in 2nd ch from hook. 1 sc in each ch to end of chain. Turn. 39 sc.

**2nd and 3rd rows:** Ch 1. 1 sc in each sc to end of row. Turn.

**4th row:** Ch 1. 1 sc in each of first 3 sc. \*2 sc in next sc. 1 sc in each of next 5 sc. Rep from \* to end of row. 45 sc. Fasten off.

With RS facing, join MC with sl st to first sc. Proceed in pat as follows:

**1st row:** (RS). Ch 1. 1 sc in first sc. \*1 tr in next sc. 1 sc in next sc, pushing tr-post to front of work. Rep from \* to end of row. Turn.

**2nd row:** Ch 1. 1 sc in first sc. 1 sc in next tr. \*1 tr in next sc. 1 sc in next tr, *pushing tr-post to back of work*. Rep from \* to last sc. 1 sc in last sc. Turn.

**3rd row:** Ch 1. 1 sc in first sc. \*1 tr in next sc. 1 sc in next tr, *pushing tr-post to back of work*. Rep from \* to last 2 sc. 1 tr in next sc. 1 sc in last sc, pushing tr-post to back of work. Turn.

Rep last 2 rows for pat until work from beg measures approx 5" [12.5 cm], ending on a 3rd row. PM at each end of last row.

**Shape raglans: 1st row:** (RS). Ch 1. 1 sc in first sc. Sc2tog. Pat to last 3 sts. Sc2tog. 1 sc in last sc. Turn. 43 sts.

**2nd row:** Ch 1. 1 sc in each of first 2 sts. Pat to last 2 sts. 1 sc in each of last 2 sts. Turn.

Rep last 2 rows 14 times more. 15 sts rem. Fasten off.

## HOOD

**Note:** Ch 3 at beg of row counts as dc.

With A, ch 63.

**1st row:** (RS). 1 dc in 4th ch from hook (counts as 2 dc) and each ch to end of chain. Turn. 61 dc.

**2nd row:** Ch 3. 1 dc in each dc to end of row. Turn.

**3rd row:** Ch 1. 1 sc in first dc. \*2 sc in next dc. 1 sc in each of next 5 dc. Rep from \* to end of row. Turn. 71 sc. Break A. Join MC.

Proceed in pat as follows:

**1st row:** (WS). Ch 1. 1 sc in first sc. \*1 tr in next sc. 1 sc in next sc, *pushing tr to front of work to form bobble*. Rep from \* to last sc. 1 sc in last sc. Turn.

**2nd row:** Ch 1. 1 sc in first sc. 1 sc in next tr. \*1 tr in next sc. 1 sc in next tr, *pushing tr to RS of work to form bobble*. Rep from \* to last sc. 1 sc in last sc. Turn.

**3rd row:** Ch 1. 1 sc in first sc. \*1 tr in next sc. 1 sc in next tr, *pushing tr to front of work to form bobble*.

Rep from \* to last 2 sc. 1 tr in next sc. 1 sc in last sc, *pushing tr to front of work to form bobble*. Turn.

Rep last 2 rows for pat until work from beg measures approx 6" [15 cm], ending on a 3rd row.

**Shape Back: 1st row:** Pat across 47 sts. **Turn.** Leave rem 24 sts unworked.

**2nd row:** Pat across 23 sts. **Turn.** Leave rem 24 sts unworked.

Cont working in pat over 23 sts for approx 6" [15 cm], ending on a WS row. Fasten off.

Following diagram, sew back seams to form Hood.

**Ears** (Make 2 Outer Ears with MC and 2 Inner Ears with B).

**Note:** Ch 2 at beg of row does not count as hdc.

Ch 12.

**1st row:** (RS). 1 hdc in 3rd ch from hook. 1 hdc in each ch to end of chain. Turn. 10 hdc.

**2nd row:** Ch 2. 1 hdc in each hdc to end of row. Turn.

**3rd row:** Ch 2. 1 hdc in first hdc. 2 hdc in next hdc. 1 hdc in each hdc to last 2 hdc. 2 hdc in next hdc. 1 hdc in last hdc. Turn. 12 hdc. Rep last 2 rows twice more. 16 hdc at end of last row.

**Next 3 rows:** As 2nd row.

**Next row:** Ch 2. 1 hdc in first hdc. Hdc2tog. 1 hdc in each hdc to last 3 sts. Hdc2tog. 1 hdc in last hdc. Turn.

Rep last row until there are 6 sts.

**Next row:** Ch 2. 1 hdc in first hdc. (Hdc2tog) twice. 1 hdc in last hdc. Fasten off.

With WS of inner Ear and outer Ear tog, join MC with sl st at bottom corner of ears. Ch 1. Working through both thicknesses, work in sc evenly around edge of ears. Fold foundation chains in half and secure. Sew Ears to Hood in position (as shown).

## Legs

With A, ch 2.

**1st rnd:** 6 sc in 2nd ch from hook. Join with sl st to first sc. 6 sc.

**2nd rnd:** Ch 1. 2 sc in each sc around. Join with sl st to first sc. 12 sc.

**3rd rnd:** Ch 1. \*2 sc in next sc. 1 sc in next sc. Rep from \* around. Join with sl st to first sc. 18 sc.

**4th rnd:** Ch 1. \*2 sc in next sc. 1 sc in each of next 2 sc. Rep from \* around. Join with sl st to first sc. 24 sc.

**5th rnd:** Ch 1. \*2 sc in next sc. 1 sc in each of next 3 sc. Rep from \* around. Join with sl st to first sc. 30 sc.

**6th rnd:** Ch 1. \*2 sc in next sc. 1 sc in each of next 4 sc. Rep from \* around. Join with sl st to first sc. 36 sc.

**7th rnd:** Ch 1. \*2 sc in next sc. 1 sc in each of next 5 sc. Rep from \* around. Join with sl st to first sc. 42 sc.

**8th to 10th rnds:** Ch 1. 1 sc in each sc around. Join MC with sl st to first sc. Break A.

**11th rnd:** With MC, ch 1. \*2 sc in next sc. 1 sc in each of next 13 sc. Rep from \* around. Join with sl st to first sc. 45 sc. PM at end of rnd.

**Note:** Work in rows.

**1st row:** (RS). Ch 1. 1 sc in first sc. \*1 tr in next sc. 1 sc in next sc, pushing tr-post to front of work. Rep from \* to end of row. Turn.

**2nd row:** Ch 1. 1 sc in first sc. 1 sc in next tr. \*1 tr in next sc. 1 sc in next tr, pushing tr-post to back of work. Rep from \* to last sc. 1 sc in last sc. Turn.

**3rd row:** Ch 1. 1 sc in first sc. \*1 tr in next sc. 1 sc in next tr, pushing tr-post to back of work. Rep from \* to last 2 sc. 1 tr in next sc. 1 sc in

last sc, pushing tr-post to back of work. Turn.

Rep last 2 rows for pat until work from marked rnd measures approx 2" [5 cm], ending on a WS row. Fasten off.

## FINISHING

Sew back raglan seams. Sew sleeve seams between markers.

### Front Raglan Button edging:

With RS facing, join A with sl st to top corner of raglan front edge of Right Sleeve. Ch 1. Work 30 sc evenly down to marker. Turn.

**2nd to 5th rows:** Ch 1. 1 sc in each sc to end of row. Turn. Fasten off at end of 5th row.

Rep for Front Raglan of Left Sleeve.

### Buttonhole edge of Front

**(Right side):** With RS facing, join A with sl st to bottom right corner of right side of Front. Ch 1. Work 60 sc evenly up to marker. 2 sc in marked sp. PM on first sc of 2 sc-group. Work 30 sc evenly up raglan to top edge. Turn. 92 sc.

**2nd row:** Ch 1. 1 sc in each sc to end of row, having 2 sc in marked sc. Turn. 93 sc.

**3rd row:** Ch 1. 1 sc in each of first 40 sc. \*Ch 2. Skip next 2 sc. 1 sc in each of next 10 sc. Rep from \* to last 5 sc. Ch 2. Skip next 2 sc. 1 sc in each sc to end of row. Turn. 5 buttonholes.

**4th row:** Ch 1. 1 sc in each sc and 2 sc in every ch-2 sp to end of row. Turn.

**5th row:** Ch 1. 1 sc in each sc to end of row. Fasten off.

### Buttonhole edge of Front (Left

**side):** With RS facing, join A with sl st to top left corner of left side of Front. Ch 1. Work 30 sc evenly down raglan to marker. 2 sc in marked sp. PM on second sc of 2 sc-group. Work 60 sc down side edge of Front to bottom edge. Turn. 92 sc.

**2nd row:** Ch 1. 1 sc in each sc to end of row, having 2 sc in marked sc. Turn. 93 sc.

**3rd row:** Ch 1. 1 sc in each of first 3 sc. \*Ch 2. Skip next 2 sc. 1 sc in each of next 10 sc. Rep from \* to last 42 sc. Ch 2. Skip next 2 sc. 1 sc in each sc to end of row. Turn. 5 buttonholes.

**4th row:** Ch 1. 1 sc in each sc and 2 sc in every ch-2 sp to end of row. Turn.

## BERNAT® YAWN THE SHEEP CROCHET SNUGGLE SACK | CROCHET

**5th row:** Ch 1. 1 sc in each sc to end of row. Fasten off.

Sew bottom edges of Back and Front tog. Sew side seams 8" [20.5 cm] up from bottom edge.

Sew buttons to Back and Sleeve raglan button edgings to correspond to buttonholes.

Sew Hood along neck edge, matching front edges of Hood with raglan button bands.

Flatten legs and sew to bottom edge of Sack as shown.

