



Tasseled Phone Case

designed by Caron Design Team

FREE



SIMPLY
SOFT
PARTY

DESCRIPTION SIZING

Keep your phone safe from bumps and thumps while turning it into a cute fashion accessory with this tasseled phone case.

Abbreviations

Ch(s) = Chain(s)
sc = single crochet

Sc3tog = Single crochet 3 together—[Insert hook in next stitch, yarn over and draw up a loop] 3 times, yarn over and draw through all 4 loops on hook
Sl st = Slip stitch

Sl1wyif = Slip next stitch knitwise, with yarn in front of work.
WS = wrong side

Details & Instructions

MEASUREMENTS

Finished measurements

Case measures approximately
4½"/11cm high and
3½"/9cm wide

MATERIALS

Simply Soft Party (85 g/3. oz; 150 m/164 yds)



Contrast A Fuchsia Sparkle (0002)



One pair knitting needles size US 8 (5.5mm) or size to obtain gauge. One size US G/6 (4mm) crochet hook, or size to obtain gauge. Yarn needle. Pins. 44 fuchsia seed beads (optional)—Size 8. 22 black tube beads (optional)—Size 8. Beading needle (optional). Beading thread (optional).

GAUGE

In Two-Color Linen Stitch, 18 sts and 30 rows = 4"/10 cm. Gauge is not important for this project.

INSTRUCTIONS

STITCHES USED

Two-Color Linen Stitch (multiple of 2 sts + 1)

Row 1 (RS): With B, k1, *sl 1 wyif, k1; repeat from * across.

Row 2: With B, purl.

Row 3: With A, k2, *sl 1 wyif, k1; repeat from * across to last st, k1.

Row 4: With A, purl.

Repeat Rows 1–4 for Two-Color Linen Stitch.

NOTES

Carry color not in use up side of piece.

FRONT

With B, CO 15.

Knit 1 row.

Work in Two-Color Linen Stitch until piece measures 4"/10cm from beginning, ending with a WS row.

With B, knit 2 rows.

Bind off.

BACK

Work same as Front.

WRISTBAND

With B, ch 15.

Row 1: Sc in 2nd ch from hook and in each remaining ch across, turn—14 sc.

Rows 2–6: Ch 1, sc in each sc across, turn.

Fasten off.

STRAP/HANDLE

With B, ch 230; taking care not to twist ch, join with sl st in first ch to form a ring.

Round 1: Sl st in each ch around.

Fasten off.

FINISHING

Assembly

Hold front and back with WS together, sew sides and lower edges together, leave top edge open.

Wristband: Center wristband on back of case, with short ends aligned with side edges of case. Sew ends of wrist band securely in place.

Strap/Handle: Beginning at top of one side of case, pin strap down the side, across the lower edge, and back up the other side of the case (leaving long, top section of strap unpinned for handle). Sew strap in place around case.

Tasseled Strap

Mark center of top edge of back.

Row 1: Join B with sc 1 st before center, sc in center, sc on other side of center, turn—3 sc.

Rows 2–4: Ch 1, sc in each sc across, turn.

Row 5: Ch 1, sc3tog—1 st.

Fasten off.

Tassel

Wrap B around four fingers of one hand, about 20 times. Thread an 8"/20.5cm length of B under top of wraps and tie in a knot, then tie the ends together for hanging cord. Cut lower ends of wraps and remove from fingers. Wrap a 12"/30.5cm length of B around the tassel, about 1 1/2"/2.5cm below the top to form tassel neck, and draw ends down through tassel neck to inside of tassel. Note: If beads will not be added, wrap tassel neck 4 times around with B.

beaded tassel neck wrap (optional): Thread beads onto beading thread in the following order: *2 fuchsia, 1 black; repeat from * until all beads are threaded. Cut thread, leaving a 6"/15cm tail. Tie tail around tassel neck, and slide beads down close to tassel. Secure last bead. Wrap beaded thread around neck of tassel and secure.

Attach tassel to end of tassel strap using hanging cord. Using yarn needle, weave in all ends.
