



Marly Bird  
Designer




KNIT | SKILL LEVEL: INTERMEDIATE

## ABBREVIATIONS

**Beg** = Beginning  
**C4B** = Slip next 2 stitches onto cable needle and leave at back of work. K2, then K2 from cable needle  
**Cont** = Continue(ity)  
**Dec('d)** = Decreasing(ed)  
**Inc('d)** = Increasing(ed)  
**K** = Knit  
**K2tog** = Knit next 2 stitches together  
**M1** = Make 1 stitch by picking up horizontal loop lying before next stitch and knitting into back of loop

**P** = Purl  
**P2tog** = Purl next 2 stitches together  
**PM** = Place marker  
**Rnd(s)** = Round(s)  
**Rem** = Remaining  
**Rep** = Repeat  
**RS** = Right side  
**Sm** = Slip marker  
**Ssk** = Slip next 2 stitches knitwise one at a time. Pass them back onto left-hand needle, then knit through back loops together  
**Ssp** = Slip next 2 stitches knitwise one at a time. Pass them back onto left-hand needle, then purl through back loops together  
**St(s)** = Stitch(es)  
**WS** = Wrong side  
**Yo** = Yarn over



## MATERIALS

Patons® Classic Wool Worsted™ (3.5 oz/100 g; 194 yds/177 m)

Sizes	XS	S	M	L	XL	2XL	3XL	4XL	5XL	
<b>Main Color MC</b>										
Heath Heather (77215)	6	6	7	7	8	8	9	10	10	<b>balls</b>
<b>Contrast A</b>										
Duck Egg Blue (77766)	1	1	1	1	1	1	2	2	2	<b>balls</b>

Set of 4 sizes U.S. 5 (3.75 mm) and U.S. 6 (4 mm) double-pointed knitting needles. Sizes U.S. 5 (3.75 mm) and U.S. 6 (4 mm) circular knitting needles 16" [40.5 cm] and 36" [91.5 cm] long **or size needed to obtain gauge**. Stitch markers. Stitch holders. Cable needle. Yarn needle. 8 buttons 1½" [28 mm] diameter.

## SIZES

### To fit bust measurement

<b>XS</b>	<b>28-30" [71-76 cm]</b>
<b>S</b>	<b>32-34" [81.5-86.5 cm]</b>
<b>M</b>	<b>36-38" [91.5-96.5 cm]</b>
<b>L</b>	<b>40-42" [101.5-106.5 cm]</b>
<b>XL</b>	<b>44-46" [112-117 cm]</b>
<b>2XL</b>	<b>48-50" [122-127 cm]</b>
<b>3XL</b>	<b>52-54" [132-137 cm]</b>
<b>4XL</b>	<b>56-58" [142-147.5 cm]</b>
<b>5XL</b>	<b>60-62" [152.5-157.5 cm]</b>

### Finished bust measurement

<b>XS</b>	<b>28½" [72.5 cm]</b>
<b>S</b>	<b>32" [81.5 cm]</b>
<b>M</b>	<b>36½" [92.5 cm]</b>
<b>L</b>	<b>40" [101.5 cm]</b>
<b>XL</b>	<b>44½" [113 cm]</b>
<b>2XL</b>	<b>48" [122 cm]</b>
<b>3XL</b>	<b>52½" [133.5 cm]</b>
<b>4XL</b>	<b>56" [142 cm]</b>
<b>5XL</b>	<b>60½" [153.5 cm]</b>

## GAUGE

22 sts and 28 rnds = 4" [10 cm] with larger needles in stocking stitch.


## INSTRUCTIONS

**Cable Panel:** (worked over 6 sts)

**1st to 3rd rnds:** P1. K4. P1.

**4th rnd:** P1. C4B. P1.

These 4 rnds form Cable Pat.



### Notes:

- Sweater is worked from top down. Yoke is worked first with raglan increases occurring to each side of 4 cable panels. At underarm sleeve stitches are held while body is worked down with waist shaping and pockets. Then sleeve stitches are decreased while working down to the cuff. The front steek is cut and button bands are picked up on each front edge.
- Use three different colored markers to indicate the beginning of rnd, steek and raglan markers.
- The steek stitches are folded to WS to form facings on each side of the front opening. The steek stitches **do not** count toward the finished measurements and are not shown on the schematic.

## YOKE

With shorter and smaller circular needle and A, cast on **83 (83-95-95-103-107-107-115-119)** sts. Join in rnd, being careful not to twist sts. PM for beg of rnd.

**1st rnd:** P1. K10. P1. PM for steek. \*K1. P1. Rep from \* to last st. K1.

**2nd rnd:** P1. K10. P1. Sm for Steek. \*K1. P1. Rep from \* to last st. K1. Break A.

With MC, rep last rnd 6 times more. Change to shorter larger circular needle.

**1st rnd:** P1. K10. P1. Sm for Steek. **K9 (9-11-11-13-13-13-15-15)** for Left Front. PM for raglan. P1. K1. M1. K2. P1. PM for raglan. **K3 (3-5-5-5-7-7-7-9)** for Sleeve. PM for raglan. P1. K1. M1. K2. P1. PM for raglan. **K27 (27-31-31-35-35-35-39-39)** for Back. PM for raglan. P1. K1. M1. K2. P1. PM for raglan. **K3 (3-5-5-5-7-7-7-9)** for Sleeve. PM for raglan. P1. K1. M1. K2. P1. PM for raglan. **K9 (9-11-11-13-13-13-15-15)** to end for Right Front. **87 (87-99-99-107-111-111-119-123)** sts.

## Shape Raglan:

**Note:** Change to longer and larger circular needle when necessary to accommodate all sts.

### Sizes L, XL, 2XL, 3XL, 4XL and 5XL only:

**1st rnd:** (Inc Body and Sleeves Rnd). P1. K10. P1. Sm. \*Knit to next marker. M1. Sm. Work 1st row of Cable Panel to next marker. Sm. M1. Rep from \* 3 more times. Knit to end of rnd. 8 sts inc'd.

**2nd rnd:** (Inc Body Rnd). P1. K10. P1. Sm. \*Knit to next marker. M1. Sm. Work 2nd row of Cable Panel to next marker. Sm. Knit to next marker. Sm. M1. Rep from \* once more. Knit to end of rnd. 4 sts inc'd.

Cable Panel is now in position. Keeping cont of Cable Panel, rep the last 2 rnds (**1-1-3-6-5-8**) time(s) more. (**123-131-159-195-191-231**) sts. (**15-17-21-27-27-33**) sts each Front. (**9-9-15-21-19-27**) sts each Sleeve. (**39-43-51-63-63-75**) sts for Back, 6 sts each Raglan and 12 sts for Steek.

**Sizes XS, S, M, L, XL and 4XL only:**

**Next rnd:** (Inc Body and Sleeves Rnd). P1. K10. P1. Sm. \*Knit to next marker. M1. Sm. Work Cable Panel to next marker. Sm. M1. Rep from \* 3 times more. Knit to end of rnd. 8 sts inc'd.

**Next rnd:** P1. K10. P1. Sm. \*Knit to next marker. Sm. Work Cable Panel to next marker. Sm. Rep from \* 3 times more. Knit to end of rnd. Rep the last 2 rnds **5 (5-3-1-1-2)** time(s) more. **135 (135-131-139-147-215)** sts. **15 (15-15-17-19-30)** sts each Front, **15 (15-13-13-13-25)** sts each Sleeve, **39 (39-39-43-47-69)** for Back, 6 sts each Raglan and 12 sts for Steek.

**Sizes XS and S only: 1st rnd:** (Inc Body and Sleeves Rnd). P1. K10. P1. Sm. \*Knit to next marker. M1. Sm. Work Cable Panel to next marker. Sm. M1. Rep from \* 3 times more. Knit to end of rnd. 8 sts inc'd.

**2nd rnd:** (Inc Sleeve Rnd). P1. K10. P1. Sm. \*Knit to next marker. Sm. Work Cable Panel to next marker. Sm. M1. Knit to next marker. M1. Sm. Work Cable Panel to next marker. Sm. Rep from \* once more. Knit to end of rnd. 4 sts inc'd.

**3rd rnd:** P1. K10. P1. Sm. \*Knit to next marker. Sm. Work Cable Panel to next marker. Sm. Rep from \* 3 times more. Knit to end of rnd. Rep the last 3 rnds **1 (0)** time(s) more. **159 (147)** sts. **17 (16)** sts each Front, **23 (19)** sts each Sleeve, **43 (41)** sts for Back, 6 sts each Raglan and 12 sts for Steek.

**All sizes: 1st rnd:** (Inc Body and Sleeves Rnd). P1. K10. P1. Sm. \*Knit to next marker. M1. Sm. Work Cable Panel to next marker. Sm. M1. Rep from \* 3 times more. Knit to end of rnd. 8 sts inc'd.

**2nd rnd:** P1. K10. P1. Sm. \*Knit to next marker. Sm. Work Cable Panel to next marker. Sm. Rep from \* 3 times more. Knit to end of rnd. Rep last 2 rnds **12 (17-23-25-28-30-29-30-32)** times more, then 2nd rnd **8 (7-7-0-0-0-0-0)** times more. **263 (291-323-347-379-407-435-463-495)** sts. **30 (34-39-43-48-52-57-61-66)** sts each Front, **49 (55-61-65-71-77-81-87-93)** sts each Sleeve, **69 (77-87-95-105-113-123-131-141)** sts for Back, 6 sts each Raglan and 12 sts for Steek.

**Backward Loop Cast-on Method:**

\*Wrap yarn around left thumb from front to back and secure in palm with other fingers, insert RH needle upwards through strand on thumb, slip loop from thumb onto needle. Pulling yarn to tighten. Rep from \* for desired number of sts.

**Divide for Body and Sleeves:** P1.

K10. P1. Sm. \*Knit to next marker. Remove marker. K2tog. K1. Place **55 (61-67-71-77-83-87-93-99)** sts onto a st holder for sleeve. Use Backward Loop Method to cast on **5 (6-7-8-9-10-11-12-13)** sts. PM for side, then cast on another **5 (6-7-8-9-10-11-12-13)** sts. Cont working across Back (or Left Front) as follows: K1. ssk. K1. Rep from \* once more. Knit to end of rnd. **169 (189-213-233-257-277-301-321-345)** sts for Body. **37 (42-48-53-59-64-70-75-81)** sts each Front, **83 (93-105-115-127-137-149-159-171)** sts for Back and 12 Steek sts.

**BODY**

Knit in rnds even until work from dividing rnd measures 1" [2.5 cm].

**Shape Waist**

**1st rnd:** (Dec rnd). P1. K10. P1. Sm. \*Knit to 3 sts before next marker. ssk. K1. Sm. K1. K2tog. Rep from \* once more. Knit to end of rnd. 4 sts dec'd.

Work 7 rnds even.

Rep last 8 rnds 3 times more. **153 (173-197-217-241-261-285-305-329)** sts rem.

**Next rnd:** As 1st rnd.

Work 5 rnds even.

Rep last 6 rnds once more. **145 (165-189-209-233-253-277-297-321)** sts rem.

Proceed as follows:

**1st rnd:** (Inc Rnd). P1. K10. P1. Sm. \*Knit to 1 st before marker. M1. K1. Sm. K1. M1. Rep from \* once more. Knit to end of rnd. 4 sts inc'd.

Work 7 rnds even.

Rep last 8 rnds once more, then 1st rnd once more. **157 (177-201-221-245-265-289-309-333)** sts. **34 (39-45-50-56-61-67-72-78)** sts each Front, **77 (87-99-109-121-131-143-153-165)** sts for Back and 12 Steek sts.

Work 2 rnds even.

## Pocket Trim

**1st rnd:** P1. K10. P1. Sm. K3 (5-8-10-13-15-18-20-23), slip next 25 (25-25-27-27-27-27-27) sts onto st holder or waste yarn for pocket lining. PM for pocket. Using Backwards Loop method, cast on 25 (25-25-27-27-27-27-27) sts to replace held pocket lining sts. PM for pocket. K6 (9-12-13-16-19-22-25-28). Sm. Knit across Back to next marker. Sm. K6 (9-12-13-16-19-22-25-28). Slip next 25 (25-25-27-27-27-27-27) sts onto st holder for pocket lining. PM for pocket Using Backwards Loop Method, cast on 25 (25-25-27-27-27-27-27) sts to replace the held pocket lining sts. PM for pocket. K3 (5-8-10-13-15-18-20-23).

**Next 6 rnds:** P1. K10. P1. Sm. \*Knit to pocket marker. Sm. K1. \*P1. K1. Rep from \* to next pocket marker. Sm. Rep from \* once more. Knit to end of rnd.

Remove pocket markers and change (K1. P1) pocket stitches to stocking st on the following rnd.

**Next rnd:** (Inc rnd). P1. K10. P1. Sm. \*Knit to 1 st before marker. M1. K1. Sm. K1. M1. Rep from \* once more. Knit to end of rnd. 4 sts inc'd. Work 9 rnds even. Rep last 10 rnds twice more. 169 (189-213-233-257-277-301-321-345) sts.

Remove side markers.

Cont working even until work from dividing rnd measures 15½" [39.5 cm]. Change to longer smaller circular needle.

**Next rnd:** P1. K10. P1. Sm. K1. \*P1. K1. Rep from \* to end of rnd. Rep last rnd 5 times more. Break MC. With A, rep last rnd twice more. Cast off in pat.

## POCKET LINING (make 2)

Slip 25 (25-25-27-27-27-27-27) pocket sts onto larger needle. With A, work in stocking st until lining measures 5½" [14 cm]. Cast off.

With MC, sew lining to WS of Body.

## SLEEVES

Slip 55 (61-67-71-77-83-87-93-99) sts from st holder onto larger double-pointed needles. Divide sts onto 3 needles. With MC, beg at center of underarm, pick up and knit 5 (6-7-8-9-10-11-12-13) sts along half of underarm cast-on sts. Pick up 1 st between cast on sts and sts on st holder. K1. ssk. Knit to last 3 sts. K2tog. K1. Pick up and knit 1 st between sts on a st holder and cast-on sts, then pick up and knit 5 (6-7-8-9-10-11-12-13) sts along rem cast-on sts. Join in rnd. 65 (73-81-87-95-103-109-117-125) sts.

**1st rnd:** (Dec rnd). K4 (5-6-7-8-9-10-11-12). ssk. Knit to last 6 (7-8-9-10-11-12-13-14) sts. K2tog. Knit to end of rnd. 63 (71-79-85-93-101-107-115-123) sts rem.

Knit 11 (7-5-5-3-3-3-1-1) rnds.

**Next rnd:** (Dec rnd). K1. K2tog. Knit to last 3 sts. ssk. K1. 2 sts dec'd. Rep last 12 (8-6-6-4-4-4-2-2) rnds 5 (2-6-14-5-14-22-1-7) time(s) more. 51 (65-65-55-81-71-61-111-107) sts rem.

\*\*Knit 13 (9-7-7-5-5-5-3-3) rnds.

**Next rnd:** (Dec rnd). K1. K2tog. Knit to last 3 sts. ssk. K1. 2 sts dec'd.\*\* Rep from \*\* to \*\* 2 (8-8-2-14-8-3-27-24) times more. 45 (47-47-49-51-53-53-55-57) sts rem.

Cont even until sleeve from dividing rnd measures 17½" [44.5 cm].

Change to smaller double-pointed needles and proceed as follows:

**1st rnd:** \*K1. P1. Rep from \* to last st. K1.

**Divide for Thumbhole:** Change to shorter smaller circular needle, and work back and forth in rows as follows:

**1st row:** (WS). P1. \*K1. P1. Rep from \* to end of row. Turn.

**2nd row:** (RS). K1. \*P1. K1. Rep from \* to end of row. Turn. Rep last 2 rows 4 times more.

Rejoin to work in rnd. With smaller double-pointed needles, work 5 rnds in (K1. P1) ribbing as established.

With A, work 2 rnds in (K1. P1) ribbing as established. Cast off in rib.



**Optional:** To exclude the thumb-hole, with MC, work 5 rnds in (K1. P1) ribbing as established.

With A, work 2 rnds in (K1. P1) ribbing as established. Cast off in rib.

## FINISHING

Pin Cardigan to measurements. Cover with a damp cloth, leaving cloth to dry.

**Sew and Cut Steeks:** Identify the center of 12 steek stitches. With sewing machine or by hand, sew a line of small straight stitches on each side of these 2 center stitches. Sew 2 more lines of straight stitches, each 1 steek st farther out from center than the first 2 stitching lines. Carefully cut open the steek between 2 center sts. Fold each steek to WS along 1 st purl column between steek and front edge to form a facing.

**Buttonband:** With RS facing, MC and shorter smaller circular needle, beg at neckband edge of Left Front, pick up and knit **101 (103-103-105-107-107-111-115-115)** sts evenly along Left Front edge picking sts up between the 1-st purl column and the front sts (keeping the purled column to the WS). **Do not** join. Working back and forth in rows, proceed as follows:

**1st row:** (WS). P1. \*K1. P1. Rep from \* to end of row.

**2nd row:** (RS). K1. \*P1. K1. Rep from \* to end of row.

Rep last 2 rows 4 times more.

With A, rep last 2 rows once more. Cast off in rib.

**Buttonhole Band:** With RS facing, MC and shorter smaller circular needle, beg at lower body edge of Right Front, pick up and knit **101 (103-103-105-107-107-111-115-115)** sts evenly along Right Front edge picking sts up between 1-st purl column and front sts (keeping the purled column to WS). **Do not** join.

Working back and forth across needle, work 5 rows of (K1. P1) ribbing as given for Buttonband.

**Next row:** (RS - Buttonhole Row). Rib across **4 (6-6-8-3-3-7-4-4)** sts. \*K2tog or P2tog keeping in pat. (yo) twice. ssk or ssp. Rib across **9 (9-9-9-10-10-10-11-11)** sts. Rep from \* 6 times more. K2tog or P2tog keeping in patt. (yo) twice. ssk or ssp. Rib to end of row.

Work 4 rows of (K1. P1) ribbing. With A, work 2 rows of (K1. P1) ribbing. Cast off in rib.

**Stitch facings to WS of Fronts:** With yarn threaded on a tapestry needle, use a whipstitch to sew facings invisibly to the WS of each Front.

Weave in ends.

