



MATERIALS

Coats & Clark Dual Duty XP® All-purpose Thread

5/8 yd (57.15cm) tone-on-tone white print
 1/4 yd (22.86cm) black fabric
 1/4 yd (22.86cm) tone-on-tone pink print
 12" x 20" (30.48cm x 50.80cm) pillow form
 (2) heart buttons, 5/8" (1.59cm)
 Paper-back fusible web

 SEWING, APPLIQUÉ | SKILL LEVEL: **EASY**

Featuring Coats & Clark Dual Duty XP® Thread

Even if you don't parlez-vous Francais, you can appreciate this common phrase of admiration expressed on this cute pillow. Sew the letters to the pillow front with Coats & Clark Dual Duty XP® Thread

MEASUREMENTS

12" x 20" (30.48cm x 50.80cm)

CUTTING

WOF = width of fabric

From the white fabric, cut:

- (1) rectangle, 12" x 20" (30.48cm x 50.80cm)
- (2) rectangles, 9" x 20" (22.86cm x 50.80cm)

From the pink fabric, cut:

- (2) strips, 2 1/2" x WOF (6.35cm x WOF)

side of the black fabric. Cut on the lines.

2. Press a line 3/4" (8.26cm) from one long edge of the 12" x 20" (30.48cm x 50.80cm) white rectangle for letter alignment.
3. Align the letters as desired to spell Oh La La. Fuse in place.
4. Using a narrow zigzag, sew around all the lettering. Bring thread ends to the wrong side and tie off to secure.
5. Sew one heart button at an angle over each "a" as an accent mark.

Assembling the Pillow Front

1. Trace the letters onto the paper side of the fusible web, creating two of the "la". Rough-cut the shapes about 1/4" (.64cm) outside the traced lines. Following the manufacturer's instructions, fuse the letters to the wrong

Assembling the Pillow Back


1. Press under 1/4" (.64cm) on one long edge of each 9" x 20" (22.86cm x 50.80cm) white rectangle. Then press under 1 1/4" (3.18cm) on each pressed-under edge to form the hem. Edgestitch in place.



2. Right side up, lap the hemmed edges of the white rectangles to form the 12" x 20" (30.48cm x 50.80cm) pillow back. Baste the edges together in the overlap area.


Assembling the Pillow

1. Place the pillow front and back wrong sides together with the back overlap facing downward. Baste around the edges.
2. Sew the two binding strips together end to end using a diagonal seam. Press the seam open and trim to ¼" (.64cm). Press the binding in half wrong sides together.
3. Bind the edges of the pillow, mitering the corners. Turn the binding to the wrong side and hand-stitch the fold in place.
4. Insert the pillow form through the back opening and adjust to fill the corners.



This square should
measure 1" x 1"
(2.54cm x 2.54cm)
when printed.

***** Measure templates before cutting to confirm printing at 100%*****



This square should
measure 1" x 1"
(2.54cm x 2.54cm)
when printed.

***** Measure templates before cutting to confirm printing at 100%*****