



CROCHET  
SKILL LEVEL  
EASY

Designed by Rebecca J. Venton

## What you will need:

**RED HEART® Soft:** One ball each:  
4420 Guacamole A, 9440 Light  
Grey Heather B, 2515 Turquoise C,  
4600 White D, 4614 Black E.

**Susan Bates® Crochet Hooks:** 5.5  
mm [US I-9], 4.0mm [US G-6]

Three 5/8" (15.9 mm) buttons,  
sewing thread to match buttons,  
sewing needle, yarn needle,  
fiberfill stuffing, stitch markers

**GAUGE:** With 5.5 mm [US I-9]  
hook, 12 sc = 4" (10 cm); 15 rows  
sc = 4" (10 cm). **CHECK YOUR  
GAUGE.** Use any size hook to  
obtain the gauge.



**RED HEART® Soft®**,  
Art. E728 available in  
solid color 5 oz (141 g),  
256 yd (234 m), print 4 oz (113 g),  
204 yd (187 m), and heather 4oz  
(113g), 212 yd (194m) balls

SHOP KIT



# Walking the Dog for Dolls

*Crochet the perfect puppy for your doll, and  
then crochet the warm coat and accessories  
to take him on a cool morning or evening  
walk. Pattern includes Coat, Ear Flap Hat,  
Wristers and Boots.*

Clothes designed for 18" (45.5 cm) doll

**Coat measures:** 7" (18 cm)  
wide x 9½" (24 cm) long

**Ear Flap Hat measures:** 12"  
(30.5 cm) in diameter

**Wristers measure:** 2" (5 cm) long

**Boots measure:** 4" (10 cm) high

**Dog measures:** 8" (20.5 cm)  
high x 12" (51 cm) long

## Special Stitches

**sc2tog** = [draw up a loop in next  
st] twice, yarn over and draw  
through all 3 loops on hook.

**sc3tog** = [draw up a loop in next  
st] 3 times, yarn over and draw  
through all 4 loops on hook.

## Notes

1. Unless otherwise noted, always work under both loops of the stitch in the row below.
2. For sections worked in rounds, place marker for beginning of round and move marker up as each round is completed.
3. To change color, work last stitch of old color to last yarn over. Yarn over with new color and draw through all loops on hook to complete stitch. Proceed with new color.

## COAT

Using 5.5 mm [US I-9] hook with **A**, ch 39.

**Row 1 (Wrong side):** Sc in 2nd ch from  
hook and each ch across; turn—38 sc.

**Rows 2-19:** Ch 1, sc in each sc across; turn.

## Right Front

**Row 20 (Right side):** Ch 1, sc  
in next 8 sc; turn—8 sc.

**Rows 21-25:** Ch 1 sc in each sc across; turn.

**Row 26:** Ch 1, sc2tog, sc in  
next 6 sc; turn—7 sc.

**Row 27:** Ch 1, sc in next 5 sc,  
sc2tog; turn—6 sc.

**Row 28:** Ch 1, sc2tog, sc in  
next 4 sc; turn—5 sc.

**Row 29:** Ch 1, sc in next 3 sc,  
sc2tog; turn—4 sc.

**Rows 30-32:** Ch 1, sc in each sc across;  
turn. At end of Row 32, fasten off, leaving  
a long tail for seaming later to Back.

## Left Front

Using 5.5 mm [US I-9] hook, join  
**A** to beginning of Row 19.

**Rows 20-32:** Repeat Rows  
21-32 of Right Front.

## Back

Skip first 2 sc of unworked middle  
section of Coat. Using 5.5 mm [US I-9]  
hook, join **A** to next sc of Row 19.

**Row 20:** Ch 1, sc in next 18 sc, leave  
last two sc unworked; turn—18 sc.

**Rows 21-29:** Ch 1, sc in each sc across;  
turn. At end of Row 29, fasten off.

## Assembly

Using long tails, sew Left Front to first  
4 sc of Back and sew Right Front to  
last 4 sc of Back. Weave in all ends.

Continued...



## Collar

Using 4.0 mm [US G-6] hook with **A**, join yarn to Right side of Row 26 of Right Front.

**Row 1:** Ch 1, work 1 sc in the side of each Row of Rows 26-32 of Right Front, work 10 sc across Back, work 1 sc in the side of each Row of Rows 32-26 of Left Front; turn—24 sc.

**Row 2:** Ch 1, sc in first sc, 2 sc in next sc, sc in next 20 sc, 2 sc in next sc, sc in last sc; turn—26 sc.

**Row 3:** Ch 1, sc in first sc, 2 sc in next sc, sc in next 10 sc, [2 sc in next sc] twice, sc in next 10 sc, 2 sc in next sc, sc in last sc; turn—30 sc.

**Row 4:** Ch 1, sc in first sc, 2 sc in next sc, sc in next 26 sc, 2 sc in next sc, sc in last sc; turn—32 sc.

**Row 5:** Ch 1, sc in first sc, 2 sc in next sc, sc in next 13 sc, [2 sc in next sc] twice, sc in next 13 sc, 2 sc in next sc, sc in last sc; turn—36 sc.

**Row 6:** Ch 1, sc in each sc across. Fasten off; weave in ends.

## Left Placket

Using 5.5 mm [US I-9] hook with **A**, join yarn to Wrong side of Row 1 on left edge of Coat.

**Row 1:** Ch 1, work 1 sc in the side of each Row of Rows 1-25 of Coat; turn—25 sc.

**Rows 2-4:** Ch 1, sc in each sc across; turn. At end of Row 4, fasten off; weave in ends.

## Right Placket

Using 5.5 mm [US I-9] hook with **A**, join yarn to Wrong side of Row 25 on right edge of Coat.

**Row 1:** Ch 1, work 1 sc in the side of each Row of Rows 25-1 of Coat; turn—25 sc.

**Row 2:** Ch 1, sc in each sc across; turn.

**Row 3 (Buttonholes):** Ch 1, sc in next 2 sc, ch 2, skip 1 sc, sc in next 9 sc, ch 2, skip

1 sc, sc in next 9 sc, ch 2, skip 1 sc, sc in next 2 sc; turn—22 sc, three ch-2 spaces.

**Row 4:** Ch 1, sc in each sc and ch-2 space across—25 sc. Fasten off; weave in ends. Using thread, sew Buttons to Left Placket, making sure they line up with Buttonholes in Right Placket.

## Arm (Make 2)

Using 5.5 mm [US I-9] hook with **A**, join yarn to 2nd unworked sc of armpit on Right side of Row 19 of Coat.

**Row 1:** Ch 1, sc in same sc; work 23 sc evenly around sides of armhole; sc in last unworked sc of armpit; slip st in first sc to join; turn—25 sc.

**Row 2:** Ch 1, sc in each sc around; slip st in first sc to join; turn.

**Row 3:** Ch 1, sc in first sc, sc2tog, sc in next 19 sc, sc2tog, sc in last sc; slip st in first sc to join; turn—23 sc.

**Rounds 4-5:** Ch 1, sc in each sc around; slip st in first sc to join; turn.

**Row 6:** Ch 1, sc in first sc, sc2tog, sc in next 17 sc, sc2tog, sc in last sc; slip st in first sc to join; turn—21 sc.

**Rounds 7-8:** Ch 1, sc in each sc around; slip st in first sc to join; turn.

**Row 9:** Ch 1, sc in first sc, sc2tog, sc in next 15 sc, sc2tog, sc in last sc; slip st in first sc to join; turn—19 sc.

**Rounds 10-15:** Ch 1, sc in each sc around; slip st in first sc to join; turn. At end of Round 15, fasten off; weave in ends.

## WRISTERS (Make 2)

Using 5.5 mm [US I-9] hook with **B**, ch 12; slip st in top of beginning chain to join.

**Row 1 (Wrong side):** Ch 1, sc in 2nd ch from hook and each ch across; turn—12 sc.

**Row 2:** Ch 1, sc in next 5 sc, ch 2, skip 2 sc, sc in next 5 sc; slip st in first sc to join; turn—10 sc, one ch-2 space.

**Round 3:** Ch 1, sc in next 5 sc, 2 sc in next ch-2 space, sc in next 5 sc; slip st in first sc to join; turn—12 sc.

**Rounds 4-6:** Ch 1, sc in each sc across; slip st in first sc to join; turn. At end of Round 6, fasten off; weave in ends.

## BOOTS (Make 2)

Using 5.5 mm [US I-9] hook with **E**, ch 6.

**Row 1 (Right side):** Work 3 sc in 2nd ch from hook, sc in next 3 ch, 3 sc in last ch; rotate work so opposite side of foundation chain is on top, sc in last 3 ch; slip st in first sc to join; turn—12 sc.

**Row 2:** Ch 1, sc in next 3 sc, [2 sc in next sc] 3 times, sc in next 3 sc, [2 sc in next sc] 3 times; slip st in first sc to join; turn—18 sc.

**Row 3:** Ch 1, [2 sc in next sc, sc in next sc] 3 times, sc in next 3 sc, [2 sc in next sc, sc in next sc] 3 times, sc in next 3 sc; slip st in first sc to join; turn—24 sc. Change color to **B**.

**Row 4:** With **B**, ch 1, sc in front loops only around; slip st in first sc to join; turn—24 sc.

**Row 5:** Ch 1, working in both loops, sc in next 13 sc, [sc2tog in next sc] 3 times, sc in next 5 sc; slip st in first sc to join; turn—21 sc.

**Row 6:** Ch 1, sc in next 3 sc, [sc2 tog in next sc] 3 times, sc in next 12 sc; slip st in first sc to join; turn—18 sc.

**Row 7:** Ch 1, sc in next 11 sc, [sc2tog in next sc] 3 times, sc in last sc; slip st to first sc to join; turn—15 sc.

**Rounds 8-17:** Ch 1, sc in each sc around; slip st in first sc to join; turn. At end of Round 17, fasten off; weave in ends.

## EAR FLAP HAT

Using 5.5 mm [US I-9] hook with **C**, ch 2.

**Row 1 (Right side):** Work 6 sc in 2nd ch from hook; slip st to first sc to join; turn—6 sc.

**Row 2:** Ch 1, [2 sc in next sc] 6 times; slip st to first sc to join; turn—12 sc.

**Round 3:** Ch 1, [sc in next sc, 2 sc in next sc] 6 times; slip st in first sc to join; turn—18 sc.

**Round 4:** Ch 1, [sc in next 2 sc, 2 sc in next sc] 6 times; slip st in first sc to join; turn—24 sc.

**Round 5:** Ch 1, [sc in next 3 sc, 2 sc in next sc] 6 times; slip st in first sc to join; turn—30 sc.

**Round 6:** Ch 1, [sc in next 4 sc, 2 sc in next sc] 6 times; slip st in first sc to join; turn—36 sc.

**Rounds 7-14:** Ch 1, sc in each sc around; slip st in first sc to join; turn. At end of Round 14, fasten off; weave in ends.

## Right Ear Flap

With Right side facing, skip first 5 sc of Round 14 of Ear Flap Hat. Using 5.5 mm [US I-9] hook, join **C** in next sc.

**Row 1 (Right side):** Ch 1, sc in same sc and next 7 sc; turn—8 sc.

**Row 2:** Ch 1, sc2tog, sc in next 6 sc; turn—7 sc.

**Row 3:** Ch 1, sc2tog, sc in next 5 sc; turn—6 sc.

**Row 4:** Ch 1, sc2tog, sc in next 4 sc; turn—5 sc.

**Row 5:** Ch 1, sc2tog, sc in next 3 sc; turn—4 sc.

**Row 6:** Ch 1, sc2tog, sc in next 2 sc; turn—3 sc.

**Row 7:** Ch 1, sc2tog, sc in next sc; turn—2 sc.

**Row 8:** Ch 1, sc2tog. Fasten off; weave in ends.

## Left Ear Flap

With Right side facing, skip next 10 sc of Round 14 of Ear Flap Hat. Using 5.5 mm [US I-9] hook, join **C** in next sc.

**Rows 1-8:** Repeat Rows 1-8 of Right Ear Flap.

Continued...



## Hat Border

With Right side facing and using 5.5 mm [US I-9] hook, join **A** to first sc of Round 14 of Ear Flap Hat.

**Round 1:** Ch 1, sc in next 5 sc, work 1 sc in the side of each Row of Rows 1-8 of Right Ear Flap, ch 15, slip st in 2nd ch from hook and next 13 chs, work 1 sc the side of each Row of Rows 8-1 of Right Ear Flap, sc in next 10 sc, work 1 sc in the side of each Row of Rows 1-8 of Left Ear Flap, ch 15, slip st in 2nd ch from hook and next 13 chs, work 1 sc the side of each Row of Rows 8-1 of Left Ear Flap, sc in last 5 sc; slip st in first sc to join—52 sc. Fasten off; weave in ends.

## DOG

Gauge is not critical for this item. Work tightly so stuffing does not show through stitches.

## Body

Using 4.0 mm [US G-6] hook with **B**, ch 2.

**Round 1 (Wrong side):** Work 6 sc in 2nd ch from hook; slip st in first sc to join; turn—6 sc.

**Round 2:** Ch 1, [2 sc in next sc] 6 times; slip st in first sc to join; turn—12 sc.

**Round 3:** Ch 1, [sc in next sc, 2 sc in next sc] 6 times; slip st in first sc to join; turn—18 sc.

**Round 4:** Ch 1, [sc in next 2 sc, 2 sc in next sc] 6 times; slip st in first sc to join; turn—24 sc.

**Rounds 5-21:** Ch 1, sc in each sc around; slip st in first sc to join; turn.

**Round 22:** Ch 1, [sc in next 2 sc, sc2tog] 6 times; slip st in first sc to join; turn—18 sc.

**Round 23:** Ch 1, [sc, sc2tog] 6 times; slip st in first sc to join; turn—12 sc.

**Round 24:** Ch 1, sc2tog 6 times; slip st in first sc to join—6 sc. Fasten off, leaving a long tail for sewing. Sew closed; weave in ends.

## Legs (Make 4)

Using 4.0 mm [US G-6] hook with **D**, ch 2.

**Round 1 (Wrong side):** Work 6 sc in 2nd ch from hook; slip st in first sc to join; turn—6 sc.

**Round 2:** Ch 1, [2 sc in next sc] 6 times; slip st in first sc to join; turn—12 sc.

**Round 3:** Ch 1, sc in each sc around; slip st in first sc to join; turn. Change color to **B**.

**Rounds 4-10:** Ch 1, sc in each sc around; slip st in first sc to join; turn.

**Round 11 (Hips):** Ch 1, sc in first 6 sc; do not join; turn—6 sc.

**Round 12:** Ch 1, sc2tog, sc in next 2 sc, sc2tog; turn—4 sc.

**Round 13:** Ch 1, [sc2tog] in next 2 sc—2 sc. Fasten off, leaving a long tail for sewing. Stuff Legs lightly; sew all 4 Legs to Body, referring to photo for placement. Weave in all ends.

## Head

Using 4.0 mm [US G-6] hook with **B**, ch 2.

**Round 1 (Right side):** Work 6 sc in 2nd ch from hook; slip st in first sc to join; turn—6 sc.

**Round 2:** Ch 1, [2 sc in next sc] 6 times; slip st in first sc to join; turn—12 sc.

**Round 3:** Ch 1, [sc in next sc, 2 sc in next sc] 6 times; slip st in first sc to join; turn—18 sc.

**Round 4:** Ch 1, [sc in next 2 sc, 2 sc in next sc] 6 times; slip st in first sc to join; turn—24 sc.

**Rounds 5-8:** Ch 1, sc in each sc around; slip st in first sc to join; turn.

**Round 9:** Ch 1, [sc in next 2 sc, sc2tog] 6 times; slip st in first sc to join; turn—18 sc.

**Round 10:** Ch 1, [sc in next sc, sc2tog] 6 times; slip st in first sc to join; turn—12 sc.

**Rounds 11-12:** Ch 1, sc in each sc around; slip st in first sc to join; turn.

**Round 13:** Ch 1, [2 sc in next sc] 6 times; slip st in first sc to join—24 sc. Fasten off, leaving a long tail for sewing. Stuff lightly; sew Head to Body, referring to photo for placement. Weave in ends.

## Snout

Using 4.0 mm [US G-6] hook with **D**, ch 6.

**Round 1 (Right side):** Work 3 sc in 2nd ch from hook, sc in next 3 ch, 3 sc in last ch; rotate work so opposite side of foundation chain is on top, sc in last 3 ch; slip st in first sc to join; turn—12 sc.

**Round 2:** Ch 1, sc in next 3 sc, [2 dc in next sc] 3 times; slip st in first sc to join; turn—12 dc, 6 sc.

**Round 3:** Ch 1, dc in next 6 sts, sc in next 3 sts, dc in next 6 sts, sc in last 3 sts; slip st in first dc to join; turn—12 dc, 6 sc.

**Rounds 4-5:** Ch 1, sc in each st around; slip st in first sc to join; turn.

**Round 6:** Ch 1, sc in first 4 sc; do not join; turn—4 sc.

**Round 7:** Ch 1, sc in first sc, sc2tog, sc in last sc; turn—3 sc.

**Rounds 8-10:** Ch 1, sc in each sc across; turn.

**Round 11:** Ch 1, sc3tog—1 st. Fasten off, leaving a long tail for sewing. Stuff lightly; sew Snout to Head, referring to photo for placement. Weave in ends.

## Nose

Using 4.0 mm [US G-6] hook with **E**, ch 2.

**Round 1 (Right side):** Work 6 sc in 2nd ch from hook; slip st in first sc to join; turn—6 sc.

**Round 2:** Ch 1, sc in each sc around; slip st in first sc to join; turn.

**Round 3:** Ch 1, sc in each sc around; slip st in first sc to join. Fasten off, leaving a long tail for sewing. Stuff lightly. Referring to photo, sew Nose to Snout and embroider Mouth. Weave in ends.

## Eyes (Make 2)

Using 4.0 mm [US G-6] hook with **E**, ch 2.

**Round 1 (Right side):** Ch 1, work 4 sc in 2nd ch from hook; slip st in first sc to join—4 sc. Fasten off, leaving a long tail for

sewing. Referring to photo for placement, embroider a French knot in the center of each Eye using **D**, and sew Eyes to Head.

## Ears (Make 2)

Using 4.0 mm [US G-6] hook with **B**, ch 8.

**Round 1 (Wrong side):** Sc in 2nd ch from hook, sc in next 5 ch, 3 sc in last ch; rotate work so opposite side of foundation chain is on top, sc in last 6 ch; slip st in first sc to join; turn—15 sc.

**Round 2:** Ch 1, sc in first 6 sc, 3 dc in each of next 3 sc, sc in next 6 sc—12 sc, 9 dc. Fasten off, leaving a long tail for sewing. Sew Ears to Head, referring to photo for placement. Weave in ends.

## Tail

Using 4.0 mm [US G-6] hook with **D**, ch 2.

**Round 1 (Right side):** Work 6 sc in 2nd ch from hook; slip st in first sc to join; turn—6 sc.

**Rounds 2-6:** Ch 1, sc in each sc around; slip st in first sc to join; turn. Change color to **B**.

**Round 7:** With **B**, ch 1, sc in each sc around; slip st in first sc to join; turn.

**Rounds 8-13:** Ch 1, sc in each sc around; slip st in first sc to join. Fasten off, leaving a long tail for sewing. Referring to photo for placement, sew Tail to Body. Weave in ends.

## Collar

Using 4.0 mm [US G-6] hook with **C**, ch 21.

**Row 1 (Right side):** Ch 1, sc in 2nd ch from hook and each sc across; turn—20 sc. Change color to **A**.

**Row 2:** With **A**, ch 1, sc in each sc across; turn. Change color to **C**.

**Row 3:** With **C**, ch 1, sc in each sc across; fasten off, leaving a long tail for sewing. Place Collar around Neck; sew sides together. Weave in ends.

Continued...



### Leash

Using 4.0 mm [US G-6] hook with E, join yarn to Collar; ch 50.

**Row 1:** Slip st in 11th ch from hook and remaining 39 chs—10 ch, 40 slip sts. Fasten off; weave in ends.

### ABBREVIATIONS

**A, B, C** = Color A, Color B, Color C, etc; **ch** = chain; **cm** = centimeters; **dc** = double crochet; **mm** = millimeters; **sc** = single crochet; **st(s)** = stitch(es); **[ ]** = work directions in brackets the number of times specified; **\*** or **\*\*** = repeat whatever follows the \* or \*\* as indicated.

