



MATERIALS

Coats & Clark™ Dual Duty XP® All-purpose Thread

¾ yd (68.5cm) outer fabric

¾ yd (68.5cm) inner fabric

2 yds (2m) fusible interfacing

Note: Some piecing may be needed depending on the interfacing width.

(3) fusible star appliqués, 1" (2.5cm)

Pattern tracing cloth

 SEWING | SKILL LEVEL: EASY

Featuring Coats & Clark™ Dual Duty XP® All-purpose Thread

Everyone needs protection from the sun whether it's at the beach or exploring the wonders of the world. This reversible floppy brimmed hat is soft and foldable so you can to pack it in your suitcase or beach tote.

MEASUREMENTS

One size

CUTTING

Note: Print patterns at 200%.

Trace the full-size hat and crown pattern pieces onto tracing cloth. Cut out the pattern.

From both the outer fabric and inner fabrics, cut:

(1) hat band, 5" x 24½" (12.5cm x 62cm)

(1) hat brim

(1) hat crown

From the interfacing, cut:

(2) hat band, 5" x 24½" (12.5cm x 62cm)

(2) hat brim

(2) hat crown

PREPARATION

1. Fuse the interfacing to the wrong side of the respective hat and lining pieces.
2. Position the star appliqués as desired on the outer hat brim and follow the manufacturer's instructions to fuse in place.

MARKING

1. Fold the crown circle in half twice and mark the quarter points.
2. Fold the brim in half twice from seamline to seamline and mark the quarter points along the inside and outside curves.
3. Fold the band in half twice from seamline to seamline and mark the quarter points along the top and bottom edges.
4. Repeat Steps 1-3 for the hat lining pieces.



Seam allowances are ½" (1cm).

ASSEMBLING THE OUTER HAT

1. Sew the short seam of the hat brim. Press the seam open.
2. Sew the short seam of the hat band. Press the seam open.
3. With right sides together and matching quarter points, sew the hat band to the crown, easing to fit. Trim the seam to ¼" (.5cm). Press the seam toward the crown.
4. With right sides together and matching seams and quarter points, sew the inside edge of the hat brim to the lower edge of the band, easing to fit. Trim the seam to ¼" (.5cm). Press the seam toward the band.

ASSEMBLING THE LINING

1. Sew the short seam of the hat brim lining. Press the seam open.
2. Sew the short seam of the hat band lining ½" (1cm) on the top and bottom, leaving the center area open for turning. Press the seam open.
3. With right sides together and matching quarter points, sew the hat band lining to the


crown lining, easing to fit. Trim the seam to ¼" (.5cm). Press the seam toward the crown.

4. With right sides together and matching seams and quarter points, sew the inside edge of the hat brim to the lower edge of the hat band, easing to fit. Trim the seam to ¼" (.5cm). Press the seam toward the band.

FINISHING


1. Place the two hat sections right sides together matching the brim quarter points. Sew around the outer brim edge using a ¼" (.5cm) seam allowance. Trim the seam allowances to ⅛" (.3cm).
2. Turn the hat right side out through the lining band opening. Hand-stitch the opening closed.
3. Push the lining into the hat. Press the outer brim edge and topstitch around the edge.





This square should
measure 1" x 1"
(2.54cm x 2.54cm)
when printed.

***** Measure templates before cutting to confirm printing at 200%*****



This square should
measure 1" x 1"
(2.54cm x 2.54cm)
when printed.

***** Measure templates before cutting to confirm printing at 200%*****