

CARON® CROCHET TIE FRONT TEE

CAC0140-032771M | March 28, 2022





Caron® Varied Stripes Cakes™ (8.8 oz/250 g; 530 yds/485 m)

Sizes XS/S M L XL 2/3XL 4/5XL

Vanilla Wafers (42017) 2 2 3 3 4 4 cakes

Size U.S. H/8 (5 mm) crochet hook **or size needed to obtain gauge.** Yarn needle.





ABBREVIATIONS

Beg = Beginning

Ch = Chain(s)

Cont = Continue

Hdcbp = Yoh and draw up a loop around post of next stitch at back of work, inserting hook from right to left. Yoh and draw through 3 loops on hook.

Hdcfp = Yoh and draw up a loop around post of next stitch at front of work, inserting hook from right to left. Yoh and draw through 3 loops on hook.

Rem = Remaining

Rep = Repeat

Rnd(s) = Round(s)

RS = Right side

Sc = Single crochet

Sc2tog = Draw up a loop in each of next 2 stitches. Yoh and draw through all loops on hook.

SI st = Slip stitch

St(s) = Stitch(es)

WS = Wrong side

Yoh = Yarn over hook

SIZES

To fit bust measurement

XS/S 28-34" [71-86.5 cm]

M 36-38" [91.5-96.5 cm]

L 40-42" [101.5-106.5 cm]

XL 44-46" [112-117 cm]

2/3XL 48-54" [122-137 cm]

4/5XL 56-62" [142-157.5 cm]

Finished bust measurement

XS/S 37" [94 cm]
M 41" [104 cm]
L 45" [114.5 cm]
XL 48" [122 cm]
2/3XL 56" [142 cm]
4/5XL 63" [160 cm]

GAUGE

14 sc and 17 rows = 4'' [10 cm].



CARON CROCHET TIE FRONT TEE

CAC0140-032771M | March 28, 2022

INSTRUCTIONS

The instructions are written for smallest size. If changes are necessary for larger size(s) the instructions will be written thus ().

Note: Front and Back are worked from side to side.

FRONT

Ch **71 (**71-74-74-78-78**).

1st row: (RS). 1 sc in 2nd ch from hook. 1 sc in each ch to end of ch. Turn. **70** (**70-73-73-77-77**) sc.

2nd row: Ch 1. 1 sc in each sc to end of row. Turn.**

Rep 2nd row until work from beg measures 5¾ (6¾-7¾-8½-10½-12¼)" [14.5 (17-19.5-21.5-26.5-31) cm], ending on a WS row.

Cont for First Tie.

Next row: (RS). Ch 1. 1 sc in each sc to end of row. **Do not** turn. Ch 26. Turn.

Next row: 1 sc in 2nd ch from hook. 1 sc in each of next 25 ch. 1 sc in each sc to end of row. Turn. 95 (95-98-98-102-102) sc.

Next row: Ch 1. 1 sc in each sc to end of row. Turn.

Rep last row until First Tie measures 2" [5 cm] wide, ending on a WS row.

First Tie complete.

Cont for Keyhole:

Next row: (RS). Ch 1. 1 sc in each of first **68** (**68-71-71-75-75**) sc. Sc2tog. **Turn.** Leave rem sts unworked.

Cont working on **69** (**69-72-72-76- 76**) sc as follows:

Next row: Ch 1. Sc2tog. 1 sc in each sc to end of row. Turn. **68** (**68**-**71-71-75-75**) sc.

Next row: Ch 1. 1 sc in each sc to last 2 sc. Sc2tog. Turn. **67** (67-70-70-74-74) sc.

Next row: Ch 1. Sc2tog. 1 sc in each sc to end of row. Turn. **66** (66-69-69-73-73) sc.

Next 4 rows: Ch 1. 1 sc in each sc to end of row. Turn.

Next row: (RS). Ch 1. 1 sc in each sc to last sc. 2 sc in last sc. Turn. **67** (67-70-70-74-74) sc.

Next row: Ch 1. 2 sc in first sc. 1 sc in each sc to end of row. Turn. **68** (**68-71-71-75-75**) sc.

Next row: Ch 1. 1 sc in each sc to last sc. 2 sc in last sc. Turn. **69** (**69**-**72-72-76**) sc.

Next row: Ch 1. 2 sc in first sc. 1 sc in each sc to end of row. Turn. **70** (**70-73-73-77-77**) sc. Keyhole complete.

Cont as follows for Second Tie: **Next row:** (RS). Ch 1. 1 sc in each sc to end of row. **Do not** turn. Ch 26. Turn.

Next row: 1 sc in 2nd ch from hook. 1 sc in each of next 25 ch. 1 sc in each sc to end of row. 95 (95-98-98-102-102) sc.

Next row: Ch 1. 1 sc in each sc to end of row. Turn.

Rep last row until Second Tie measures 2" [5 cm] wide, ending on a WS row.

Second Tie complete.

Cont as follows for rem of Front: **Next row:** (RS). Ch 1. 1 sc in each of first **70** (**70-73-73-77-77**) sc. **Turn.** Leave rem sts unworked.

Next row: Ch 1. 1 sc in each sc to end of row. Turn.

Rep last row until work from beg measures 18½ (20½-22½-24-28-31½)" [47 (52-57-61-71-80) cm], ending on a WS row.

BACK

Rep from ** to ** as given for Front.

Rep 2nd row until work from beg measures 18½ (20½-22½-24-28-31½)" [47 (52-57-61-71-80) cm], ending on a WS row. Fasten off.

FINISHING Assembly

Sew shoulder seams 3½ (4½-5½-6-8-10)" [9 (11.5-14-15-20.5-25.5) cm] in from each armhole edge. Place markers 8 (8½-9-9½-9½-10)" [20.5 (21.5-23-24-24-25.5) cm] down from shoulder seams on Front and Back. Sew sides to markers.

Note: All rnds are joined with sl st to first st.

SLEEVES

With RS facing, join yarn with sl st to armhole at side seam.

1st rnd: Ch 1. Work **56** (**60-64-66-66-70**) sc evenly around armhole. Join.

2nd rnd: Ch 1. 1 sc in each sc around. Join.

Rep 2nd rnd until Sleeve measures 2" [5 cm].





CAC0140-032771M | March 28, 2022

Next rnd: Ch 1. *1 hdcfp around next st. 1 hdcbp around next st. Rep from * around. Join. Rep last rnd until Sleeve measures 3" [7.5 cm].

Fasten off.

Neck Edging

With RS facing, join yarn with sl st to shoulder seam at neck edge.

1st rnd: Ch 1. Work sc evenly around neck opening. Join with sl st to first sc.
Fasten off.







