



KNIT | SKILL LEVEL: INTERMEDIATE

### ABBREVIATIONS

**Beg** = Beginning  
**Ch** = Chain(s)  
**Cont** = Continue(ity)  
**C8F** = Slip next 4 stitches onto cable needle and leave at front of work. K4, then K4 from cable needle.  
**K** = Knit  
**P** = Purl

**Pat** = Pattern  
**PM** = Place marker  
**Rem** = Remaining  
**Rep** = Repeat  
**RS** = Right side  
**Sp(s)** = Space(s)  
**St(s)** = Stitch(es)  
**WS** = Wrong side  
**Yo** = Yarn over

### SIZES

To fit bust measurement

**XS/S** 28-34" [71-86.5 cm]  
**M** 36-38" [91.5-96.5 cm]  
**L** 40-42" [101.5-106.5 cm]  
**XL** 44-46" [112-117 cm]  
**2/3XL** 48-54" [122-137 cm]  
**4/5XL** 56-62" [142-157.5 cm]

### Finished bust

**XS/S** 38" [96.5 cm]  
**M** 42" [106.5 cm]  
**L** 46" [117 cm]  
**XL** 50" [127 cm]  
**2/3XL** 56" [142.5 cm]  
**4/5XL** 65" [165 cm]

### GAUGES

20 sts and 26 rows = 4" [10 cm] in stocking st.  
 8 sts + unraveled sps and 26 rows = 2" [5 cm] in pat.

### INSTRUCTIONS

The instructions are written for smallest size. If changes are necessary for larger sizes the instructions will be written thus ( ). Numbers for each size are shown in the same color throughout the pattern. When only one number is given in black, it applies to all sizes.

**Note:** Top is worked in one piece from sleeve to sleeve.

### MATERIALS

Red Heart® Croquette™ (1.6 oz/45 g; 239 yds/219 m)

<b>Sizes</b>	<b>XS/S</b>	<b>M</b>	<b>L</b>	<b>XL</b>	<b>2/3XL</b>	<b>4/5XL</b>	<b>balls</b>
Spice Market (9729)	3	5	8	11	14	18	

Size U.S. 7 (4.5 mm) knitting needles **or size needed to obtain gauge.** Cable needle. Stitch markers. Stitch holder. Size U.S. G/6 (4 mm) crochet hook.

## Cable Panel

**1st row:** (RS). C8F.

**2nd row:** Purl.

**3rd row:** Knit.

**4th to 15th rows:** As 2nd and 3rd rows 6 times.

**16th row:** As 2nd row.

These 16 rows form Cable Panel.

## TOP

Cast on **86** (96-100-100-106-110) sts.

**Left Sleeve Ribbing: 1st row:** (RS). \*K1. P1. Rep from \* to end of row. Rep last row of (K1. P1) ribbing for 1" [2.5 cm], ending on a WS row. PM at end of last row.

**Note:** At beg of work width **does not** match required measurements. Only after unravelling indicated sts, finished measurements will match required measurements.

**Foundation row 1:** (RS). K2 (7-9-9-2-4). \*Cast off 2 sts. K8 (including st on needle after cast off). Rep from \* to last **4** (9-11-11-4-6) sts. Cast off 2 sts. K2 (7-9-9-2-4) (including st on needle after cast off).

**Foundation row 2:** P2 (7-9-9-2-4). \*(yo) twice. P8. Rep from \* to last **4** (9-11-11-4-6) sts. (yo) twice. P2 (7-9-9-2-4).

**Foundation row 3:** K2 (7-9-9-2-4). \*P1, dropping extra yo. K8. Rep from \* to last "(yo) twice". P1, dropping extra yo. K2 (7-9-9-2-4).

**Foundation row 4:** P2 (7-9-9-2-4). \*K1. P8. Rep from \* to last **3** (8-10-10-3-5) sts. K1. P2 (7-9-9-2-4). **77** (87-91-91-95-99) sts.

**Note:** All "P1" sts on RS or "K1" sts on WS will be unravelled later (excluding ribbing).

Proceed in pat as follows:

**1st row:** (RS). K2 (7-9-9-2-4). \*P1. Work 1st row of Cable Panel. P1. Work 9th row of Cable Panel. Rep from \* to last **3** (8-10-10-3-5) sts. P1. K2 (7-9-9-2-4).

**2nd row:** P2 (7-9-9-2-4). \*P1. Work 10th row of Cable Panel. P1. Work 2nd row of Cable Panel. Rep from \* to last **3** (8-10-10-3-5) sts. K1. P2 (7-9-9-2-4).

**3rd row:** K2 (7-9-9-2-4). \*P1. Work 3rd row of Cable Panel. P1. Work 11th row of Cable Panel. Rep from \* to last **3** (8-10-10-3-5) sts. P1. K2 (7-9-9-2-4).

**4th row:** P2 (7-9-9-2-4). \*P1. Work 12th row of Cable Panel. P1. Work 4th row of Cable Panel. Rep from

\* to last **3** (8-10-10-3-5) sts. K1. P2 (7-9-9-2-4).

Cable Panel pat is now in position.

Cont in pat for Left Sleeve, keeping cont of Cable Panel pat until work from **marked** row measures 3" [7.5 cm], ending on a WS row.

**Shape Front and Back:** Keeping cont of pat, proceed as follows:

**Foundation row 1:** (RS). Cast on **58** (63-61-61-68-66) sts. K**58** (63-61-61-68-66). Pat to end of row. PM at end of last row.

**Foundation row 2:** Cast on **58** (63-61-61-68-66) sts. (P1. K1) 5 times. [Cast off 2 sts. P**8** (including st on needle after cast off)] **4** (5-5-5-5-5) times. Cast off 2 sts. P**6** (1-0-0-6-4) (including st on needle after cast off). Pat across next **77** (87-89-89-95-99) sts. P**6** (1-0-0-6-4). [Cast off 2 sts. P**8** (including st on needle after cast off)] **4** (5-5-5-5-5) times. Cast off 2 sts. (K1. P1) 5 times.

**Foundation row 3:** (K1. P1) 5 times. [(yo) twice. K**8**] **4** (5-5-5-5-5) times. (yo) twice. Pat to last **58** (63-62-62-68-66) sts. K**6** (1-0-0-6-4). [(yo) twice. K**8**] **4** (5-5-5-5-5) times. (yo) twice. (P1. K1) 5 times.

**Foundation row 4:** (P1. K1) 5 times. \*K1, dropping extra loop over cast on sts. P8. Rep from \* to last 11 sts. K1, dropping extra loop. (K1. P1) 5 times. **183** (201-201-201-219-219) sts.

**Note:** All "P1" sts on RS or "K1" sts on WS will be unravelled later (excluding ribbing).

Keeping cont of Cable Panel, proceed in pat as follows:

**1st row:** (RS). (K1. P1) 5 times. \*P1. Work appropriate row of Cable Panel. Rep from \* to last 11 sts. P1. (P1. K1) 5 times.

**2nd row:** (P1. K1) 5 times. \*K1. Work appropriate row of Cable Panel. Rep from \* to last 11 sts. K1. (K1. P1) 5 times.

Cable Panel pat and bottom (K1. P1) ribbing sections are now in position.

Cont in pat, keeping cont of Cable Panel pat until work from last marked row measures **4½** (5-6-6½-8-9½)" [**11.5** (12.5-15-16.5-20.5-24) cm], ending on a WS row.

**Divide for neck opening: 1st row:** (RS). Pat across **91** (100-100-100-109-109) sts. **Turn.** Leave rem sts on a st holder.

Cont in pat on these **91** (100-100-100-109-109) sts for Back for **10** (11-11-12-12-13)" [25.5 (28-28-30.5-30.5-33) cm], ending on a **RS** row. Leave these sts on a spare needle. Break yarn.

**Front:** Drop first "P1" st off st holder and unravel to bottom of work. Rejoin yarn to rem **91** (100-100-100-109-109) sts and proceed in pat for **10** (11-11-12-12-13)" [25.5 (28-28-30.5-30.5-33) cm], ending on a **RS** row.

**Next row:** (WS – joining row). Pat across **91** (100-100-100-109-109) sts for Front. (yo) twice. Pat across **91** (100-100-100-109-109) sts for Back. PM at end of row.

**Next row:** Pat across **91** (100-100-100-109-109) sts. P1, dropping extra loop. Pat across **91** (100-100-100-109-109) sts. **183** (201-201-201-219-219) sts.

Cont in pat, keeping cont of Cable Panel pat until work from **last marked** row measures **4½** (5-6-6½-8-9½)" [11.5 (12.5-15-16.5-20.5-24) cm], ending on a **RS** row.

**Note:** Use crochet hook to work 'Ch 3'. Last chain of Ch 3 is placed

back onto left-hand needle and treated like stitch.

**Next row:** (WS). Cast off 9 sts. [Drop next st (K1) off needle and unravel to bottom of work. Ch 3. Cast off 9 sts (including last chain of Ch 3)] **4** (5-5-5-5-5) times. Drop next st (K1) off needle and unravel to bottom of work. Ch 3. Cast off **7** (2-1-1-7-5) st(s) (including last chain of Ch 3). Pat to last **58** (63-62-62-68-66) sts. Drop next st (K1) off needle and unravel to bottom of work. Ch 3. Cast off **7** (2-1-1-7-5) st(s) (including last chain of Ch 3). [Drop next st (K1) off needle and unravel to bottom of work. Ch 3. Cast off 8 sts (including last chain of Ch 3)] **4** (5-5-5-5-5) times. Drop next st (K1) off needle and unravel to bottom of work. Ch 3. Cast off rem 11 sts (including last chain of Ch 3). **77** (87-91-91-95-99) sts rem. Break yarn.

**Right Sleeve:** With **RS** facing rejoin yarn to rem **77** (87-91-91-95-99) sts and cont in Cable Panel pat for Right Sleeve for 3" [7.5 cm], ending on a **WS** row.

**Right Sleeve Ribbing: 1st row:** (RS). **K2** (7-9-9-2-4). \*Drop next

st (K1) off needle and unravel to bottom of work. Cast on 2 sts. **K8**. Rep from \* to last **3** (8-10-10-3-5) sts. Drop next st (K1) off needle and unravel to bottom of work. Cast on 2 sts. **K2** (7-9-9-2-4). **86** (96-100-100-106-110) sts. Beg and ending on a **WS** row, work in (K1, P1) ribbing as given for Left Sleeve for 1" [2.5 cm]. Cast off in ribbing.

## FINISHING

Pin piece to measurements. Cover with a damp cloth leaving cloth to dry. Sew side and sleeve seams.

