



Svetlana Avrakh
Designer



KNIT | SKILL LEVEL: INTERMEDIATE

ABBREVIATIONS

Alt = Alternate(ing)
Beg = Beginning
C3F = Slip next stitch onto cable needle and leave at front of work. K2, then K1 from cable needle
Cont = Continue(ity)
Dec = Decreasing
Inc = Increasing
K = Knit
K1tbl = Knit next stitch through back loop
M2 = Make 2 stitches by picking up horizontal loop lying before next stitch and knitting into back, then in front of loop
P1tbl = Purl next stitch through back loop
Pat = Pattern

P = Purl
PM = Place marker
Rem = Remain(ing)(s)
Rep = Repeat
RS = Right side
SI1P = Slip next stitch purlwise
St(s) = Stitch(es)
T2B = Slip next stitch onto cable needle and leave at back of work. K1, then P1 from cable needle
T2F = Slip next stitch onto cable needle and leave at front of work. P1, then K1 from cable needle
T3F = Slip next stitch onto cable needle and leave at front of work. K1. P1, then K1 from cable needle
WS = Wrong side

MATERIALS

Patons® Highland Bulky™ (3.5 oz/100 g; 83 yds/76 m)

Sizes XS/S M L XL 2/3XL 4/5XL

Wheat (14001) 11 12 13 15 17 20 balls

Sizes U.S. 10½ (6.5 mm) and U.S. 11 (8 mm) knitting needles or size needed to obtain gauge. Cable needle. Stitch markers.

SIZES

To fit bust measurement

XS/S	28-34" [71-86.5 cm]
M	36-38" [91.5-96.5 cm]
L	40-42" [101.5-106.5 cm]
XL	44-46" [112-117 cm]
2/3XL	48-54" [122-137 cm]
4/5XL	56-62" [142-157.5 cm]

Finished bust

XS/S	42" [106.5 cm]
M	44" [112 cm]
L	49" [124.5 cm]
XL	52" [132 cm]
2/3XL	62" [157.5 cm]
4/5XL	65" [165 cm]

GAUGE

12.5 sts and 14 rows = 4" [10 cm] with larger needles in Body Pat.

INSTRUCTIONS

The instructions are written for smallest size. If changes are necessary for larger size(s) the instructions will be written thus (.). Numbers for each size are shown in the same color throughout the pattern. When only one number is given in black, it applies to all sizes.

Note: Drop shoulder garment worked in 4 pieces. Back is worked in Body Pat with extended rows for collar after shoulder shaping. Front has Cable Panel worked into Body Pat and extended rows for collar after shoulder shaping. Right and Left Sleeves are unique due to engineered ribbing details at cuff.

Cable Panel (worked over 15 sts)
See chart on page 4.

1st row: (RS). (P1. K1) 7 times. P1.
2nd and alt rows: Knit all knit sts and purl all purl sts as they appear.
3rd row: P1. (K1. P1) twice. T2F. K1. T2B. (P1. K1) twice. P1.
5th row: P1. K1. P1. T2F. P1. T3F. P1. T2B. P1. K1. P1.
7th row: P1. T2F. P1. (T3F. P1) twice. T2B. P1.
9th row: P2. (T3F. P1) 3 times. P1.
11th row: P1. T2B. (P1. T3F) twice. P1. T2F. P1.
13th row: P1. K1. P1. T2B. P1. C3F. P1. T2F. P1. K1. P1.
15th row: (P1. K1) twice. P1. T2B. K1. T2F. (P1. K1) twice. P1.
17th row: As 1st row.
19th row: As 1st row.
20th row: As 2nd row.
These 20 rows form Cable Panel.

BACK

With smaller needles, cast on **57 (**61-69-73-89-93**) sts.

1st row: (RS). K1. *P1. K1. Rep from * to end of row.

2nd row: P1. *K1. P1. Rep from * to end of row.

Change to larger needles and proceed as follows:

Shape bottom: 1st row: (RS). K1. (P1. K1) 6 times. M2. *P1. K1. Rep from * to last 14 sts. P1. M2. K1. (P1. K1) 6 times. **61** (**65-73-77-93-97**) sts.

2nd row: Purl.

3rd row: K1. *P1. K1. Rep from * to end of row.

4th row: Purl.

Rep last 4 rows once more. **65** (**69-77-81-97-101**) sts.

Proceed in Body Pat as follows:

1st row: (RS). K1. *P1. K1. Rep from * to end of row.

2nd row: Purl.**

Rep last 2 rows for Body Pat until work from beg measures **25** (**26-27-28-28**)" [**63.5** (**63.5-66-68.5-71-71**) cm], ending on a WS row.

Shape shoulders and Collar:

Keeping cont of pat, cast off **6** (**7-8-8-11-10**) sts beg next 2 rows, then **6** (**6-7-8-10-11**) sts beg following 4 rows. **29** (**31-33-33-35-37**) sts. Dec 1 st each end of needle on next 3 rows. **23** (**25-27-27-29-31**) sts.

Work 4 rows even in pat. Cast off.

FRONT

Work from ** to ** as given for Back.

Rep last 2 rows for Body Pat until Front from beg measures 10" [25.5 cm] less than Back before beg of shoulder shaping, ending on a WS row.

Place Cable Panel: 1st row: (RS). K1. (P1. K1) **9** (**10-12-13-17-18**) times. (P1. K1tbl) twice. P2. Work 1st row of Cable Panel across next 15 sts. P2. (K1tbl. P1) twice. (K1. P1) **9** (**10-12-13-17-18**) times. K1.

2nd row: **P19** (**21-25-27-35-37**). (K1. P1tbl) twice. K2. Work 2nd row of Cable Panel across next 15 sts. K2. (P1tbl. K1) twice. **P19** (**21-25-27-35-37**).

Cable Panel is now in position. See chart on page 4.

Keeping cont of Cable Panel, rep last 2 rows until 20 rows of Cable Panel have been completed twice.

Next row: (RS). K1. (P1. K1) **9 (10-12-13-17-18)** times. (P1. K1tbl) twice. P2. (P1. K1) 7 times. P3. (K1tbl. P1) twice. (K1. P1) **9 (10-12-13-17-18)** times. K1.

2nd row: P**19 (21-25-27-35-37)**. (K1. P1tbl) twice. K2. (K1. P1) 7 times. K3. (P1tbl. K1) twice. P**19 (21-25-27-35-37)**.

Rep last 2 rows until work from beg measures same length as Back to beg of shoulder shaping, ending on a WS row.

Shape Left Front and Shoulder:

1st row: (RS). Cast off **6 (7-8-8-11-12)** sts. Pat across **14 (14-16-18-22-24)** sts (including st on needle after cast off). **Turn.** Leave rem sts on a spare needle.

2nd row: Sl1P. Pat to end of row.

3rd row: Cast off **6 (6-7-8-10-11)** sts. Pat across **7 (7-8-9-11-12)** sts (including st on needle after cast off). **Turn.** Leave rem sts on a spare needle.

4th row: As 2nd row.

5th row: Cast off **6 (6-7-8-10-11)** sts. 1 st rem on needle. Break yarn .

Shape Right Front and Shoulder:

1st row: (RS). Slip next **26 (28-30-30-32-34)** sts onto a st holder (including st on needle after cast off). Join yarn to rem **21 (22-25-27-34-35)** sts and pat to end of row.

2nd row: Cast off **6 (7-8-8-11-10)** sts. Pat across **14 (14-16-18-22-24)** sts (including st on needle after cast off). **Turn.** Leave rem sts on a spare needle.

3rd row: Sl1P. Pat to end of row.

4th row: Cast off **6 (7-7-8-10-11)** sts. Pat across **7 (7-8-9-11-12)** sts (including st on needle after cast off). **Turn.** Leave rem sts on a spare needle.

5th row: As 3rd row.

6th row: Cast off **6 (7-7-8-10-11)** sts. Pat across all rem **28 (30-32-32-34-36)** sts.

Keeping cont of Cable Panel, work on **29 (31-33-33-35-37)** sts as follows: Dec 1 st each end of needle on next 3 rows. **23 (25-27-27-29-31)** sts.

Work 4 rows even in pat. Cast off.

RIGHT SLEEVE

With smaller needles, cast on **21 (23-23-25-25-27)** sts.

Work 2 rows of (K1. P1) ribbing as given for Back.

Change to larger needles and proceed as follows:

1st row: (RS). K1. (P1. K1) 6 times. M2. *P1. K1. Rep from * to end of row. **23 (25-25-27-27-29)** sts.

2nd row: Purl.

3rd row: K1. *P1. K1. Rep from * to end of row.

4th row: Purl.

***Rep last 4 rows 3 times more, AT SAME TIME, inc 1 st each end of needle on 5th and every following **6th (8th-6th-8th-4th-4th)** row until there are **47 (47-53-53-55-59)** sts, taking inc sts into pat.

Cont even in pat until work from beg measures **18 (18-18-18-16-16)" [45.5 (45.5-45.5-45.5-40.5-40.5) cm]**, ending on a WS row.

Shape top: Cast off 3 sts beg next **10 (10-12-12-14-16)** rows.

Cast off rem **17 (17-17-17-13-11)** sts.***

LEFT SLEEVE

With smaller needles, cast on **21 (23-23-25-25-27)** sts.

Work 2 rows of (K1. P1) ribbing as given for Back.

Change to larger needles and proceed as follows:

1st row: (RS). *K1. P1. Rep from * to last 13 sts. M2. (K1. P1) 6 times. K1. **23 (25-25-27-27-29)** sts.

2nd row: Purl.

3rd row: K1. *P1. K1. Rep from * to end of row.

4th row: Purl.


Work from *** to *** as given for Right Sleeve.

FINISHING

Pin pieces to measurements. Cover with a damp cloth leaving cloth to dry.

Sew shoulder and neck seams. PM **8½ (8½-9½-9½-10-10½)" [21.5 (21.5-24-24-25.5-26.5) cm]** down from shoulders on Back and Front. Sew in sleeves between markers. Sew side and sleeve seams.

CHART



Start here

Key

- = Knit on RS rows. Purl on WS rows.
- = Purl on RS rows. Knit on WS rows.
- = T2B
- = T2F
- = C3F
- = T3F

