



MATERIALS

Coats & Clark Dual Duty XP® All-purpose Thread

Note: The featured runner fits over a small refrigerator and finishes at 18" (45.72cm) x 58" (47.32cm). Change the size depending on where you plan to use it and adjust fabric accordingly.

2⁷/₈ yds (2.63m) cotton print

5⁸/₈ yd (68.58cm) batting, 60" (152.40cm) wide

1⁵/₈ yds (1.49m) elastic, 1/4" (.64cm) wide

Bodkin or safety pin

 SEWING, QUILTING | SKILL LEVEL: **BEGINNER**

Featuring Coats & Clark Dual Duty XP® All-purpose Thread

Whether you live in a dorm room, an apartment or a large home, there never seems to be enough storage, but this pocketed runner can help. Drape it over a mini-fridge, stacked bins or an office file cabinet, then stow things in the pockets on both sides.

MEASUREMENTS

Custom

CUTTING

From cotton print, cut:

(1) strip, 18" x 58" (45.72cm x 47.32cm), for top

(1) strip, 20" x 60" (50.80cm x 152.40cm), for backing

(4) small pockets

(2) rectangles, 8 1/2" x 18" (21.59cm x 45.72cm), for large pockets

(4) 2 1/2" x width-of-fabric (WOF) (6.35cm x WOF) strips, for binding

From batting, cut:

(1) strip, 20" x 60" (50.80cm x 152.40cm)

QUILT THE RUNNER

1. With wrong sides together, layer the backing, batting, and runner top. Quilt as desired.
2. Trim the batting and backing to match the runner top layer.

Assemble the Pockets

1. Press under 1/4" (.64cm) along the upper edge of each small and large pocket. Press under 3/4" (68.58cm) to form the casing. Stitch the lower folded edge of the casing.
2. Cut four 6" pieces of elastic for the small pockets. Thread one piece through each upper casing, extending the ends 1/4" (.64cm). Stitch across the elastic ends to anchor.
3. Press under 1/2" (1.27cm) around each small pocket curved edge.

4. Cut two 16" (40.64cm) pieces of elastic for the large pockets. Thread one piece through each upper casing, extending the ends ¼" (.64cm). Stitch across the elastic ends to anchor.
 5. Position the large pockets at each end of the runner, matching raw edges. Baste in place close to the side and lower edges.
 6. Position the lower edge of the small pockets about 1 ½" (3.81cm) above the large pocket upper edge and at a slight angle. Do not allow the pockets to extend into the runner outer edge ¼" (.64cm) seam allowance. Pin in place so that the elastic gathers the top edge, giving the pocket some fullness. Stitch the curved pocket edges in place, reinforcing the upper corners with short horizontal backstitching.
2. Stitch the binding to the runner right side matching raw edges, mitering the corners.
 3. Turn the binding to the underside and hand-stitch the folded edge in place.
 4. Stitch dividers on the larger pockets. Space the dividers to fit what you plan to store, or space them equally.


TIPS:

- If the runner will be used over something metal, sew small magnets to the underside corners for added hold.
- If the runner will be used over something taller, add another row of pockets.
- Pre-quilted fabric could be used for the runner, with a coordinating print for the pockets.

FINISHING

1. Stitch the binding strips together end to end using a diagonal seam. Press the binding in half wrong sides together.





This square should measure 1" x 1" (2.54cm x 2.54cm) when printed.

***** Measure templates before cutting to confirm printing at 100%*****