



MATERIALS

Bernat® Baby Blanket Stripes™ (10.5 oz/300 g; 220 yds/201 m)
Above The Clouds (60010) **3 balls or 610 yds/560 m**

Size U.S. L/11 (8 mm) crochet hook **or size needed to obtain gauge.**
Stitch markers.

 CROCHET | SKILL LEVEL: **EASY**

ABBREVIATIONS

Approx = Approximately
Beg = Beginning
Ch = Chain(s)
Cont = Continue
Dc = Double crochet
Pat = Pattern
PM = Place marker
Rem = Remaining

Rep = Repeat
RS = Right side
Sc = Single crochet
Sl st = Slip stitch
St(s) = Stitch(es)
Sp(s) = Space(s)
Tog = Together
WS = Wrong side

MEASUREMENTS

One size to fit most strollers.
Approx 21½" [54.5 cm] wide x 25"
[63.5 cm] long, excluding hood
section.

GAUGE

7 sc and 8 rows = 4" [10 cm]

INSTRUCTIONS

Note: Ch 3 at beg of row counts
as dc.

BACK

Back Base: Ch 29.

1st row: (RS). 1 sc in 4th ch from
hook (counts as dc and sc). *1 dc
in next ch. 1 sc in next ch. Rep
from * to last ch. 1 dc in last ch.
Turn. 27 sts.

2nd row: Ch 1. 1 sc in first dc.
*1 dc in next sc. 1 sc in next dc.
Rep from * to end of row. Turn.
3rd row: Ch 3. *1 sc in next dc.
1 dc in next sc. Rep from * to end
of row. Turn.
Rep last 2 rows for pat un-
til work from beg measures 6"
[15 cm], ending on a WS row.
Fasten off.

Back Body: 1st row: (RS). Ch 11.
Work across Back Base: 1 dc in
first sc. *1 sc in next dc. 1 dc in
next sc. Rep from * to end of row.
Ch 13. Turn.

2nd row: 1 sc in 4th ch from hook
(counts as dc and sc). (1 dc in next
ch. 1 sc in next ch) 4 times. 1 dc
in last ch. (1 sc in next dc. 1 dc in
next sc) 13 times. 1 sc in last dc.

(1 dc in next ch. 1 sc in next ch) 5 times. 1 dc in last ch. Turn. 49 sts. PM at each end of row.

3rd row: Ch 1. 1 sc in first dc. *1 dc in next sc. 1 sc in next dc. Rep from * to end of row. Turn.

4th row: Ch 3. *1 sc in next dc. 1 dc in next sc. Rep from * to end of row. Turn.

Rep last 2 rows for pat until work from beg measures 15" [38 cm], ending on a WS row.

Next row: (RS – bottom hole of stroller strap). Ch 1. 1 sc in first dc. (1 dc in next sc. 1 sc in next dc) 10 times. 1 dc in next sc. Ch 5. Skip next 5 sts. (1 dc in next sc. 1 sc in next dc) 11 times. Turn.

Next row: Ch 3. (1 sc in next dc. 1 dc in next sc) 10 times. 1 sc in next dc. (1 dc in next ch. 1 sc in next ch) twice. 1 dc in last ch. (1 sc in next dc. 1 dc in next sc) 11 times. Turn. 49 sts. PM at end of row.

Cont in pat until work from last marked row measures approx 7" [18 cm], ending on a WS row.

Note: Wind 3 balls of yarn for working over 3 separate sections. If desired, try to match colors of every section to maintain striping pattern.

Next row: (RS – dividing row for 2 holes in stroller strap). With first ball of yarn, work across 20 sts. Join second ball of yarn and work across 9 sts. Join third ball of yarn and work across 20 sts.

Work across 3 sections at the same time until work from dividing row measures 2" [5 cm], ending on a WS row.

Next row: (RS – joining row). With 1 ball, pat across all 49 sts. Turn. Work 1 row even in pat. Fasten off.

Hood: With RS facing, skip first 6 sts. Join yarn with sl st to next st. Pat to last 6 sts. Turn. Leave rem sts unworked. 37 sts rem.

Cont in pat on rem 37 sts until Hood measures 13" [33 cm]. Fasten off.

Following diagram on page 3, fold corners of Hood to RS and sew front seam.

FRONT

Ch 29.

1st row: (RS). 1 sc in 4th ch from hook (counts as dc and sc). *1 dc in next ch. 1 sc in next ch. Rep from * to last ch. 1 dc in last ch. Turn. 27 sts.

2nd row: Ch 1. 1 sc in first dc. *1 dc in next sc. 1 sc in next dc. Rep from * to end of row. Turn.

3rd row: Ch 3. *1 sc in next dc. 1 dc in next sc. Rep from * to end of row. Turn.

Rep last 2 rows for pat until work from beg measures approx 25" [63.5 cm], ending on a WS row. PM at end of last row.

Cont in pat for further 4" [10 cm]. Fasten off.

Ties (make 4)

Ch 20. Sl st in 2nd ch from hook and each ch to end of ch. Fasten off.

FINISHING

Sew side seams of Back Base to Back Body (see Diagram on page 3).

PM on Front 12" [30.5 cm] up from foundation row on both sides.

Sew foundation rows of Front and Back tog. Sew side seams to markers.

Fold top of Front to RS approx 4" [10 cm] along marked row.

Sew ties to sides of Front and Back.



