



MATERIALS

Coats & Clark Dual Duty XP® All-purpose Thread

5/8 yd (57.15cm) tone-on-tone black print
 1/4 yd (22.86cm) pink fabric
 12" x 20" (30.48cm x 50.80cm) pillow form
 17/8 yds (171.45cm) ball fringe, 1 1/2" (3.81cm)
 (1) Heart button, 5/8" (1.59cm)
 Paper-back fusible web

 SEWING, APPLIQUÉ | SKILL LEVEL: **EASY**

Featuring Coats & Clark Dual Duty XP® Thread

Bonjour is the French greeting for hello, good morning or good day. Sew the letters in place with Coats & Clark Dual Duty XP® Thread and welcome to visitors at your home with this fun pillow.

MEASUREMENTS

12" x 20" (30.48cm x 50.80cm)

CUTTING

From the black fabric, cut:

- (1) rectangle, 12 1/2" x 20 1/2" (31.75cm x 52.07cm)
- (2) rectangles, 9 1/2" x 20 1/2" (24.13cm x 52.07cm)

Seam allowances are 1/4" (.64cm).

INSTRUCTIONS

Assembling the Pillow Front

1. Trace the letters onto the paper side of the fusible web, making two "o"s. Rough-cut the shapes about 1/4" (.64cm) outside the traced lines. Following the manufacturer's instructions, fuse the letters to the wrong side of the pink fabric. Cut out on the lines.

2. Press a line 3 1/4" (8.26cm) from one long edge of the 12 1/2" x 20 1/2" (31.75cm x 52.07cm) black rectangle for letter alignment.
3. Align the letters as desired to spell Bonjour. Fuse in place.
4. Using a narrow zigzag, sew around all the lettering. Bring thread ends to the wrong side and tie off to secure.
5. Sew the heart button above the J to make the title.
6. Right side down, place the ball fringe around the pillow perimeter with the balls facing inward and the lower edge of the header along the seam line. Note that the fringe header might be wider than the seam allowance so it will extend. Clip into the header to turn the corners. Turn under the ends to meet and baste along the seam line.


Assembling the Pillow Back

1. Press under ¼" (.64cm) on one long edge of each 12½" x 20½" (31.75cm x 52.07cm) rectangle. Then press under 1¼" (3.18cm) on each pressed-under edge to form the hem. Edgestitch in place.
2. Right side up, lap the hemmed edges of the black rectangles to form the 12½" x 20½" (31.75cm x 52.07cm) pillow back. Baste the edges together in the overlap area.

Assembling the Pillow


1. Place the pillow front and back right sides together (fringe between) and sew around the perimeter, just inside the fringe basting line.
2. Turn the pillow right side out and gently poke out the corners.
3. Insert the pillow form through the back opening.






This square should
measure 1" x 1"
(2.54cm x 2.54cm)
when printed.

***** Measure templates before cutting to confirm printing at 100%*****



This square should
measure 1" x 1"
(2.54cm x 2.54cm)
when printed.

***** Measure templates before cutting to confirm printing at 100%*****



This square should
measure 1" x 1"
(2.54cm x 2.54cm)
when printed.

***** Measure templates before cutting to confirm printing at 100%*****